



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021113	Inspection Date July 30, 2024
Facility Name Powerplay Riverview Campus 5	Telephone Number (506) 871-3919	
Address 500 Hillsborough Road Riverview NB E1B 4E7		
Name of Early Learning and Childcare Licensing Staff Erika Hickey	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	May 24, 2024	Jul 30, 2024
Comments: Proof of compliance was sent to Quality Assurance Monitor showing that the hole in the wall has been repaired. Deficiency is now compliant			
31(4) An operator shall ensure that the outdoor play area of a licensed facility (a) includes a shaded area that is at least 10% of the outdoor play area.	31(4)(a)	May 24, 2024	Jul 30, 2024
Comments: Proof of compliance was swnt to the Quality Assurance Monitor showing that the tarps in the school age play area has been installed. Deficiency is now compliant			

General Comments
Proof of compliance was sent electronically. The Quality Assurance Monitor was not onsite on this date. Another monitoring inspection will be conducted at a later date.

original signed by
Erika Hickey

Signature of Early Learning and Childcare Licensing Staff

July 31, 2024

Date

original signed by
Tori Condran

Signature of Operator/Designate

July 31, 2024

Date