

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Garderie Les Petits Bisounours Inc.	Licence Number 2021132	Inspection Date June 10, 2025
Facility Name Garderie Les Petits Bisounours Daycare		Telephone Number (506) 855-0077
Address 25 Pine Glen Road Riverview NB E1B 3J3		
Name of Early Learning and Childcare Licensing Staff Sophie Powers		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	May 29, 2025	May 26, 2025
Comments: The exemption evaluation for the certificate in question was sent to the Quality Assurance Monitor via email on Monday May 26. Deficiency is now compliant			
11.1(3) A staff member who works directly with infants or preschool children shall complete in each year 10 hours of training approved by the Minister related to the curriculum used at the designated facility.	11.1(3)	May 21, 2025	May 14, 2025
Comments: The remaining of certificates for the educator in question have been sent to the Quality Assurance Monitor on May 14. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,	24(1)(b)(i)	May 19, 2025	Jun 10, 2025
Comments: All child record files that were verified are complete. Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (d) the name of the administrator.	25(d)	May 19, 2025	Jun 10, 2025
Comments: The administrator's information on the parent board has been updated. Deficiency is now compliant			
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards.	29	May 15, 2025	Jun 10, 2025
Comments: During the follow-up inspection, no items were observed blocking the emergency exits. Cots were appropriately relocated during naptime. Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	May 16, 2025	Jun 10, 2025
Comments: The Quality Assurance Monitor observed that the unstable and unsafe picnic table in the outdoor play area had been removed. Deficiency is now compliant			
31(4) An operator shall ensure that the outdoor play area of a licensed facility (b) consists of more than one surface to permit different types of play.	31(4)(b)	May 21, 2025	Jun 10, 2025

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: In the infant outdoor play area, an additional surface was added, providing children with more options to engage in various types of play. Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility,	32(1)(b)	May 21, 2025	Jun 10, 2025
Comments: Art materials were relocated to a low, open shelf, making them easily accessible to children, as observed during the follow-up inspection. Deficiency is now compliant			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	May 21, 2025	Jun 10, 2025
Comments: Documentation of a monthly review and maintenance plan for the stationary equipment was observed during the follow-up inspection. Deficiency is now compliant			
36(4) The rest area of a full-time early learning and childcare centre and an early learning and childcare home shall allow for a space of at least 46 cm between each crib, portable playpen, cot or nap mat.	36(4)	May 15, 2025	Jun 10, 2025
Comments: During naptime, the Quality Assurance Monitor observed that the space between nap mats was at least 46 cm. Deficiency is now compliant			
48(4) If an infant is receiving services at a licensed facility, the operator shall (d) ensure that each bottle is stored with a cover in the refrigerator.	48(4)(d)	May 21, 2025	Jun 10, 2025
Comments: The infant bottle that had not been refrigerated during the previous visit was stored properly in the refrigerator during the follow-up inspection. The operator contacted their Public Health Inspector and was informed that NB recommends mixed formula be consumed immediately or refrigerated and consumed within 24 hours. Any prepared formula left out for more than two hours should be discarded. The operator and the parents agreed to follow best practices. The educators will mix the formula at the facility and refrigerate if needed. Deficiency is now compliant			
49(1) An operator of a licensed facility shall ensure that the guidance of the children receiving services at the licensed facility is positive and includes positive reinforcement, encouraging efforts and recognizing accomplishments.	49(1)	May 14, 2025	Jun 10, 2025
Comments: The Quality Assurance Monitor spent time in the classrooms during naptime. Children were not required to remain on their mats, and those who did not wish to rest had access to quiet activities. Educators used a positive and respectful approach. The administrator also informed the Quality Assurance Monitor that all staff members had reviewed the section on positive child guidance in the Operator's manual.  Deficiency is now compliant			

### General Comments

The Quality Assurance Monitor is on site for the follow-up inspection. Children were observed eating lunch and napping. Another microwave was added to support lunch preparation and reduce the amount of time children had to wait for their meals. No use of technology was observed during lunch preparation. Instead of having children sit and wait, indoor free play continued during this time, allowing them to remain engaged.

The Quality Assurance Monitor had a discussion with the administrator regarding emergency contacts in the child profile. 120 days from start date was given to complete the emergency contacts for one family. The Quality Assurance Monitor will follow-up with the administrator.

All previously identified deficiencies are now compliant. Renewal of the license is recommended.

original signed by  
Sophie Powers

June 10, 2025

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by  
Sonia Sharma

---

Signature of Operator/Designate

June 10, 2025

---

Date