

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Brighter Launchpad Preschool and Daycare Learning Centres Inc.	Licence Number 2022009	Inspection Date March 28, 2025	
Facility Name Beautiful Beginnings Early Learning and Childcare Centre		Telephone Number (506) 334-8834	
Address 10 Civic Court Chipman NB E4A 2H9			
Name of Early Learning and Childcare Licensing Staff Troy Williams		Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities. Comments: Deficiency is now compliant	24(1)(c)(iii)	Mar 07, 2025	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation. Comments: Deficiency is now compliant	24(1)(c)(iv)	Mar 07, 2025	Mar 24, 2025
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly. Comments: Deficiency is now compliant	28(2)	Mar 31, 2025	Mar 24, 2025
28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act. Comments: Deficiency is now compliant	28(3)(b)	Mar 07, 2025	Mar 24, 2025
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards. Comments: The ramp to the main entrance should be as wide as the door, as the current one is only about 12 inches wide and appropriate for an entrance.	29	Mar 05, 2025	Mar 24, 2025
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. Comments:	32(1)(a)	Mar 18, 2025	
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Mar 18, 2025	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: The book holder in the two-year-old material is torn. Not able to store books in this section. There is a screw sticking out cart play table. The chairs in the infant are unstable to due to wear and tear and should be replaced. There is hole in the table in the 3-year-old room. This table should be replaced.			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Mar 31, 2025	Mar 24, 2025
Comments: Deficiency is now compliant			
9(1) The child-to-staff ratio is one educator for each of the following groups of children of the same age receiving services at a full-time or part-time early learning and childcare centre: (a) three infants or fewer; (b) five children or fewer who are two years of age; (c) eight children or fewer who are three years of age; (d) ten children or fewer who are four years of age or older, but who are not yet attending school; and (e) 15 school-age children or fewer.	9(1)	Mar 26, 2025	
Comments: The preschool room was not in morning, as the second educator was covering breaks for the other classrooms.			

General Comments
<p>Follow up visit.</p> <p>Staff files are up to date with all the required documents.</p> <p>Monthly playground checklists are now being completed.</p> <p>Fire drill was completed for the month of March. Fire drills need to be completed on a monthly basis.</p> <p>The fire alarm was removed from the wall and the fire alarms are hard wired in the building and there was no need for that alarm.</p> <p>The hallway to the playground has been cleaned out and the light is now working.</p> <p>Dramatic play clothing has been replaced, however more materials are needed in this area as this is a great area for the children to be creative.</p> <p>During the inspection it was observed that the four-year-old room did not maintain proper ratio in the morning as the second educator was covering breaks for the other educators. There must be enough educators in the facility to cover maintain ratio at all times.</p>

original signed by
Troy Williams

March 28, 2025

Signature of Early Learning and Childcare Licensing Staff

Date

Signature of Operator/Designate

Date