

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator		Licence Number				Inspection Date		
Brighter Launchpad Preschool and Daycare Learning Centres Inc.		2022009				September 24, 2025		
Facility Name						Telephone Number		
Beautiful Beginnings Early Learning and Childcare Centre				(506) 334-8834				
Address								
10 Civic Court	10 Civic Court Chipman NB E4A 2H9							
Name of Early Learning and Childcare Licensing Staff			Position Title					
Laura Casey			Inspector					
Order for Compliance			Regu	ılation	Date to be corrected		Date corrected	
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (iv) to explore the arts and sciences.		needs	21(c)	(iv)	Jun 13, 2025		Sep 22, 2025	
Comments: A photo was received by email showing a distinct play center with science material. On site inspection of September 24, 2025, confirmed.								
30(3) An operato	Deficiency is now compliant	sed facility	30(3)	\	lun 0	3 2025	Sep 24, 2025	
30(3) An operator shall maintain the indoor play area of a licensed facility 30(3) Jun 03, 2025 Sep 24, 2025 to ensure the safety of the children.					00p 24, 2020			
Comments: The storage shelf in the infant room has been re-organized, and no material or supplies were noted to be on the top level of the shelf. Please continue to ensure that material and additional supplies are stored in a safe manner.								
	Deficiency is now compliant							
	or shall maintain the outdoor play area of a licer the safety of the children.		31(3)			3, 2025	Sep 24, 2025	
Comments:	The siding and deep holes in the ground in the	e preschool	/ sch	ool age p	lay sp	ace have bee	en repaired.	
During the inspection, licensing staff checked the fence, and it was sturdy with sharp edges turned away. An email was received confirming that the fence is scheduled to be replaced to match the black chain link fencing before winter weather and snow. Please provide photos once permanent fence has been added.								
	Deficiency is now compliant							
childcare centre child that can be under subparagr		2 for each	31(5.	1)	Jun 0	3, 2025	Sep 24, 2025	
Comments:	Shade sails and umbrellas were in place.							
	Deficiency is now compliant							

Order for Compliance		Regulation	Date to be corrected	Date corrected
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.		32(1)(a)	Jun 13, 2025	Sep 24, 2025
Comments:	Indoor play material was organized in defined stations in There were accessible bins of loose play pieces as well and dramatic play materials were readily available.			
	Deficiency is now compliant			
materials and	ator of a licensed facility shall provide outdoor play area equipment that are varied and in sufficient quantity for the ges of the children receiving services at the licensed	33(1)	Jun 13, 2025	Sep 24, 2025
Comments: In the preschool/school age space outdoor play material such as painted tires, a mud kitchen with bins of kitchen pans, large blocks, a pea gravel construction digging site, Little Tikes cars, balls, and a stand-up sand box with accessories were in good condition. In the infant outdoor space, play material such as two playhouses, painted tires, balls, a wooden platform with steering wheel and Little Tikes chairs and teeter-totter were in good condition.				
	Deficiency is now compliant			
the children red	ator of a licensed facility shall ensure that the guidance of ceiving services at the licensed facility is positive and we reinforcement, encouraging efforts and recognizing	49(1)	Jun 03, 2025	Sep 24, 2025
Comments: During inspection, a discussion occurred with the site Administrator. It was noted that the tone of voice had been addressed with the Educator. Educators from each classroom were observed during the inspection and observed to be engaged with the children in outdoor play as well as indoors in the infant room. Only positive child guidance was observed.				
	Deficiency is now compliant			

General Comments

Licensing staff arrived to complete the renewal inspection. Upon arrival, the preschool age children were playing outdoors while the infants were indoors.

The preschool age children were observed playing with colourful plastic building blocks, digging with small cups and scoops at the stand-up sand box and trucks in the pea gravel. Water bottles were observed to be outdoors as well as the daily attendance record form. Educators were engaged in conversation and play with the children outdoors. The infant outdoor play space was secured with a fence and gate. Play material was in good condition and shade sails and umbrellas were in place. Please have the grass mowed.

While indoors, the infants age group was observed singing songs and dancing. Current webbing and learning stories were posted and play material such as soft cubes, play tools, dolls and sensory material were accessible and in good condition. Diaper changing procedures were observed and daily attendance records were in order.

It is recommended in the 3-year-old classroom the coat rack be removed and hooks for coats and lunch bags be added to the wall to allow a more organized personal belongings space. Also, it is recommended that the white storage cupboard be removed from the gym play space as it was becoming overloaded with material and supplies on the top.

Licensing staff recommends for renewal pending Fire and Health Inspection.

original signed by	
Laura Casey	September 24, 2025

Signature of Early Learning and Childcare Licensing Staff	Date
original signed by Jessica Hunter	September 24, 2025
Signature of Operator/Designate	Date