

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence N	Numb	er		Inspection Date		
hiela Lalonde 2022069			Se			September 25, 2025	
Facility Name					Telephone Number		
Our Little Friends Riverview Daycare					(506) 269-3512		
Address							
23 Luxor Drive Riverview NB E1B 0V7							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Sarah Babineau			Quality Assurance Monitor				
Order for Compliance			_		to be	Date corrected	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.			, , , ,		23, 2025	Sep 23, 2025	
Comments: The Quality Assurance Monitor observed that only 2 children were signed in, although 4 were in attendance. The operator must ensure that children's daily attendance records are completed promptly and accurately. The operator immediately added the child's name and the arrival time of the child.  Deficiency is now compliant							
General Comments							
The Quality Assurance Monitor is on site for a monitoring inspection.							
The following element were verified:  - Child guidance  - Rest area  - Nutrition  - Indoor play area  - Indoor play area materials and equipment  During the Monitoring Inspection it was observed children playing and transitioning to lunch time.  The Ratio is respected during the visit.							
original signed by							
original signed by Sarah Babineau			Sept	<u>temb</u> e	r 25, 2025		
Signature of Early Learning and Childcare Licensing Staf	f D	ate	•				
original signed by Shiela Lalonde		oto	Sept	tembe	r 25, 2025		
Signature of Operator/Designate Date							