

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator Tiffany Allan		Inspection Date May 28, 2026	
Facility Name Wise Owl Early Learning Centre		Licence Number 2023025	
Address 2-1300 Onondaga Street Oromocto NB E2V 2P4		Telephone Number (506) 357-0002	
Type of Facility Full-time Early Learning and Childcare Centre	Maximum Number of Children 56	Ages of Children PRESCHOOL	
ELCC Licensing Staff Tanya Gaudet	Position Title Inspector		

Order for Compliance	Regulation	Date to be corrected	Date corrected
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	May 04, 2026	
<p>Comments: Licensing staff conducted a follow-up license renewal inspection and observed that the previously identified concern regarding the splash guard/baseboard remains uncorrected. The splash guard/baseboard is still partially detached from the wall, and in some areas has been completely removed. Additionally, in one area of the classroom, exposed sharp staples were observed at a child's accessible level. This condition presents an immediate safety hazard to the children enrolled in the classroom.</p> <p>Licensing staff also noted an exposed screw located in the MDF wall covering that will also need to be removed immediately to ensure the safety and well-being of the children in care.</p> <p>Required Action: This hazard must be corrected immediately to ensure the ongoing safety and well-being of the children in care. All detached materials must be properly secured or removed, and any sharp or hazardous protrusions (including staples) must be eliminated without delay.</p>			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	May 04, 2026	May 28, 2026
Comments: Deficiency is now compliant			

General Comments
<p>Licensing staff arrived at the licensed facility to conduct a follow-up license renewal inspection.</p> <p>While observing the children in the three- to four-year-old classroom, licensing staff noted that the previously identified safety hazards in this classroom have not been corrected as directed.</p> <p>The identified safety hazards must be corrected immediately to ensure the health and safety of the children enrolled in this classroom.</p>

original signed by
Tanya Gaudet

May 29, 2026

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Seanna Wilson

May 29, 2026

Signature of Operator/Designated staff

Date

"I hereby acknowledge receipt of this report"