

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | |
|---|---------------------------|---|
| Name of operator Danielle Doucet | Licence Number 2023053 | Inspection Date April 16, 2025 |
| Facility Name Little Heroes Academy | | Telephone Number (506) 429-4379 |
| Address 850 Prospect St Fredericton NB E3B 9M5 | | |
| Name of Early Learning and Childcare Licensing Staff Jenelle Hanscom | | Position Title Quality Assurance Monitor |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|---|------------|----------------------|----------------|
| 9(5) The number of children grouped at a full-time or part-time early learning and childcare centre shall not be more than the number that requires two educators. | 9(5) | Apr 02, 2025 | Apr 02, 2025 |
| Comments: Deficiency is now compliant During the monitoring inspection one classroom exceeded two educators in ratio. The operator was able to take a child back to their original classroom and correct this. | | | |

| |
|---|
| <p>General Comments</p> <p>One classroom was closed upon arrival of licensing staff as water had been leaking into the classroom. Other classrooms were able to remain open.</p> <p>Infants were engaged with educators on the floor of the infant room. All infants appeared content and materials were present in the room to help them reach developmental milestone. Any changes in infant napping will need to be approved by fire, this includes them napping in a different area.</p> <p>Older infants were observed to be utilizing Afterschool room. A change in service must be submitted to remove school age from the license and for changes in room utilization.</p> <p>Preschool room was observed transitioning to outdoor play. Children were encouraged to get themselves ready and assistance was provided by the educators as needed. Positive behaviour guidance was observed at all times.</p> <p>Discussion was had with operator about water coming into the facility, consultation with Public Health, the contractor and the landlord was recommended.</p> |
|---|

original signed by
Jenelle Hanscom

Signature of Early Learning and Childcare Licensing Staff

April 16, 2025

Date

original signed by
Danielle Doucet

April 16, 2025

Signature of Operator/Designate

Date