



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Monique Vautour	Licence Number 2023057	Inspection Date October 06, 2025	
Facility Name Little Stream Daycare		Telephone Number (506) 663-5603	
Address 787 Route 825 Route Garnett Settlement NB E2S 1Y3			
Name of Early Learning and Childcare Licensing Staff Amanda Wills		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected

General Comments

A Monitoring Inspection occurred October 6, 2025

The children were observed engaged in a variety of activities outdoors and at pick-up. Parents were greeted upon arrival.

Outdoors – The children were observed swinging on the swings, going down the slide, engaged in dramatic play (packing to go camping), riding bikes, and exploring pumpkins. The children shared their garden with licensing, which included carrots, broccoli, peas, and cucumbers.

Indoors – The children shared their newly developed family books with licensing. The environment was set up and inviting, with a variety of age-appropriate materials that were accessible to the children.

Several forms of documentation were visible in the indoor environment. These included learning stories, photographs, and children's artwork.

Positive child guidance techniques were observed. The operator was seen engaging at the children's level, providing appropriate supervision, using encouraging language, offering choices, and assisting children with decision-making.

The home maintains a clearly visible and prominent space for posting the license, current inspection report, current monitoring reports, and any orders for compliance. Additional documents observed included incident logs, daily attendance records, daily information sheets, and records of evacuation and monthly fire drills.

Traffic areas are kept clean, and outdoor walkways are free of clutter. Toxic products such as cleaning agents are securely locked and inaccessible to children. The changing area is located within one metre of a sink, and diaper changing procedures are clearly posted.

A conversation took place with the operator regarding the following:

General Comments

Ensuring that climbing structures have clear safety zones (e.g., a minimum 6-foot clearance around structures).

original signed by
Amanda Wills

Signature of Early Learning and Childcare Licensing Staff

October 07, 2025

Date

original signed by
Monique Vautour

Signature of Operator/Designate

October 07, 2025

Date