

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator ORIGINS NATURAL LEARNING CHILDCARE LTD	Licence Number 215034	Inspection Date September 30, 2021
Facility Name ORIGINS NLC 215		Telephone Number (506) 634-0088
Address 567 Millidge Avenue Saint John NB E2K 2N5		
Name of Early Learning and Childcare Licensing Staff Lisa Green		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Aug 23, 2021	Sep 28, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Aug 23, 2021	Sep 28, 2021
Comments: Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Aug 20, 2021	Sep 28, 2021
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Aug 31, 2021	Sep 28, 2021
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Aug 23, 2021	Sep 28, 2021
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Aug 17, 2021	Sep 28, 2021
Comments: Deficiency is now compliant			

General Comments
Orders for compliance are now compliant. Facility is recommended for licensing pending recommendation from the fire marshal.

original signed by

September 30, 2021

Lisa Green

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by

Amanda Lambert

Signature of Operator/Designate

September 30, 2021

Date