

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 640758 INC OPERATING AS SUSSEX EARLY LEARNING CENTRE	Licence Number 227028	Inspection Date July 27, 2021	
Facility Name SUSSEX EARLY LEARNING CENTRE		Telephone Number (506) 433-2524	
Address 126 Maple Avenue Sussex NB E4E 2N3			
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
12(1) An operator of a licensed facility shall obtain a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development at least every five years.	12(1)	Jul 30, 2021	
Comments: Operator criminal record check has expired. Cannot be alone with children until new is received. Once completed please email scan to licensing staff.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption.	24(1)(b)(v)	Aug 23, 2021	
Comments: Random review of files: Immunization records missing from four files.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (v) a copy of a criminal record check or vulnerable sector check, as the case may be.	24(1)(c)(v)	Jul 30, 2021	
Comments: Operator criminal record check has expired. Cannot be alone with children until new is received. Once completed please email scan to licensing staff.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Aug 23, 2021	
Comments: Paint touchups required throughout the facility on the walls and baseboards. Four year old room: Large beige shelf to be re-painted. Paint chipped.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Aug 23, 2021	
Comments: Outdoor Play Area: Mud Café: Board broken on floor edge, right side of café. To be replaced. Extra large climbing log starting to rot and deteriorate to be removed. Second largest tree post for balancing to be removed, starting to rot and deteriorate.			
47(1) An operator of a licensed facility shall refuse admission to a child if satisfactory proof of the immunizations required by the Public Health Act or the regulations under that Act is not provided.	47(1)	Aug 23, 2021	

Order for Compliance	Regulation	Date to be corrected	Date corrected
----------------------	------------	----------------------	----------------

Comments: Random review of files: Immunization records missing from four files.

**General Comments**

A renewal inspection was conducted today. Children were observed in both inside and outside play.

Educators in the rooms have created engaging inviting environments for the children to interact and explore in. Children's learning is evident on the walls. Documentation is displayed in the form of learning stories, art, pictures, scribed questions with the children's answers and webs.

Educators were observed engaged with the children sitting down with them during lunch having meaningful conversations, down on the floor in play with the children, participating in interactive circle time with songs and stories being shared with the children.

Educators were observed speaking respectfully and kindly to the children in their interactions and conversations and the children appeared happy and content in the indoor/outdoor environments and with their educators. Recommending going forward to regularly inspect all wood logs in the outside play area for rot and decay. These should be removed from the outside play area when this occurs.

original signed by  
Jodi Hennessey

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

July 28, 2021

\_\_\_\_\_  
Date

original signed by  
Natalie Laurin

\_\_\_\_\_  
Signature of Operator/Designate

July 28, 2021

\_\_\_\_\_  
Date