

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator COURTENAY AVENUE DAYCARE (2018) INC.	Licence Number 245035	Inspection Date July 07, 2020	
Facility Name COURTENAY AVENUE DAYCARE 2018		Telephone Number (506) 634-8418	
Address 133 Courtenay Avenue Saint John NB E2J 1N4			
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Jul 13, 2020	
Comments:			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Jul 13, 2020	
Comments: Signed statement missing for two staff.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Oct 25, 2019	Dec 09, 2019
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jul 08, 2020	
Comments: Preschool outside area: Fence on playhouse is broken, sharp points, to be removed. Hobby horse, broken wheel (educator removed during inspection). Crib work surrounding climbing structure and area around playhouse pieces are broken off. To be replaced.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Oct 31, 2019	Jan 21, 2020
Comments: Deficiency is now compliant			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Aug 07, 2020	
Comments: Pea gravel needed under climbing structure in school age outside play area. Pea gravel needed under slide.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: Deficiency is now compliant	39(2)(a)	Oct 28, 2019	Dec 09, 2019
50(2) The operator of a licensed facility shall inform the parent or guardian of a child involved in an incident on the day the incident takes place and shall ensure that the parent or guardian signs the daily log to confirm their awareness. Comments: Deficiency is now compliant	50(2)	Oct 25, 2019	Dec 09, 2019

<p><b>General Comments</b></p> <p>Monitoring Inspection:</p> <p>During monitoring inspection today it was discussed with the educators the importance of ensuring that anyone entering the facility be asked the COVID-19 questionnaire and have their temperature taken and the information recorded. Also discussed morning groupings and that the "bubble" groups must be separated at all times even early morning.</p> <p>Educators had questions regarding "risky play". Discussed their comfort level as well as setting rules/boundaries with the children so on one gets hurt. Discussed the children climbing over the cement blocks in fenced in play area and educators were observed instructing the children how to do it safely.</p> <p>Discussed with educators plans to change the outside play area and ideas were shared of the vision. An application for changes will be sent to the operator. Great to see the updates to the inside of the facility with new paint, shelving, toys, mats etc. It is warm and inviting and many interest centres set up for the children to interact and engage with.</p> <p>Discussed with the educators the Parent Portal where the most up-to-date information regarding the Recovery Phase document can be found and the link was shared with the educators.</p>
--

original signed by  
Jodi Hennessey

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

July 07, 2020

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature of Operator/Designate

\_\_\_\_\_  
Date