

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator COURTENAY AVENUE DAYCARE (2018) INC.	Licence Number 245035	Inspection Date April 21, 2021	
Facility Name COURTENAY AVENUE DAYCARE 2018		Telephone Number (506) 634-8418	
Address 133 Courtenay Avenue Saint John NB E2J 1N4			
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	Feb 26, 2021	Feb 22, 2021
Comments: Deficiency is now compliant			
11(c)(ii) The qualifications and training requirements for administrators and educators are as follows: (c) at a full-time or part-time early learning and childcare centre, (ii) on and after July 1, 2020, (A) at least 50% of educators must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister, and (B) an administrator must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister.	11(c)(ii)	Feb 26, 2021	Apr 21, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Feb 19, 2021	Feb 22, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Feb 16, 2021	Feb 22, 2021
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (c) instructions regarding evacuation in case of a fire as approved by the fire marshal, deputy fire marshal or fire prevention officer.	25(c)	Feb 11, 2021	Apr 22, 2021
Comments: Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Feb 26, 2021	Apr 21, 2021
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Mar 05, 2021	Apr 21, 2021
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Mar 05, 2021	Apr 21, 2021
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Feb 10, 2021	Apr 21, 2021
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.	39(2)(b)	Feb 10, 2021	Apr 21, 2021
Comments: Deficiency is now compliant			

General Comments

Follow up to renewal inspection was completed today. Improvements were noted within the indoor play area of facility. Some additional materials have been added to the indoor play area, but additional materials are still required. The school aged children were expressing an interest in hair cutting and kitchen/restaurant dramatic play materials during today's inspection. Ensure dramatic play areas are based on the interests of the children and that materials, props are invitations are added to support these interests on a regular basis as these interests evolve.

Interest centers have been created within the preschool environment and some photos of the children have been displayed within the room. Next steps include: adding more photos of the children, introducing more open ended art opportunities, and devoting some attention to the cozy area upstairs. What can be added to this space to make it more inviting?

The outdoor play area was not assessed at the time of the renewal inspection, as it was snow/ice covered. This area was inspected during today's follow up inspection and requires immediate attention. Concerns with the outdoor play area space were discussed with educators and administrator today. These orders for compliance are noted on the monitoring inspection report.

original signed by
Breanne Jones

Signature of Early Learning and Childcare Licensing Staff

April 21, 2021

Date

original signed by
Kayla Defazio

Signature of Operator/Designate

April 21, 2021

Date