

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator COURTENAY AVENUE DAYCARE (2018) INC.	Licence Number 245035	Inspection Date February 22, 2023
Facility Name COURTENAY AVENUE DAYCARE 2018		Telephone Number (506) 634-8418
Address 133 Courtenay Avenue Saint John NB E2J 1N4		
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (iii) to express creativity and interests.	21(c)(iii)	Feb 16, 2023	Feb 08, 2023
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jan 30, 2023	Feb 08, 2023
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Feb 06, 2023	Feb 01, 2023
Comments: Deficiency is now compliant			
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present.	31(6)	Feb 06, 2023	Feb 01, 2023
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Feb 06, 2023	Feb 08, 2023
Comments: Deficiency is now compliant			

<p>General Comments</p> <p>A follow up to the renewal inspection occurred today. The orders for compliance were completed, however, during the follow up inspection it was noted additional items in non-compliance. A monitoring inspection was generated for the operator with these non-compliances. The facility has a recommendation pending. Non-compliances on the open monitoring inspection report must be completed before the facility will be recommended for license renewal. Discussions with operator occurred regarding the large climbing structure in the outside play area and as well as</p>

General Comments

work that is to be completed. Operator indicated, via email, these will be completed in the spring once the ground thaws and contractors are able to access this area. The Quality Assurance Monitor will follow up with this in the Spring of this year.

original signed by
Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

February 10, 2023

Date

original signed by
Tanika Chiasson

Signature of Operator/Designate

February 10, 2023

Date