

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator COURTENAY AVENUE DAYCARE (2018) INC.	Licence Number 245035	Inspection Date July 22, 2024	
Facility Name COURTENAY AVENUE DAYCARE 2018		Telephone Number (506) 634-8418	
Address 133 Courtenay Avenue Saint John NB E2J 1N4			
Name of Early Learning and Childcare Licensing Staff Cathleen LeBlanc		Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Jul 26, 2024	
Comments: One staff file was missing the job description. To be added to file.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vi) a copy of a check with the Department of Social Development.	24(1)(c)(vi)	Jul 30, 2024	
Comments: One staff file was missing a valid check with Social Development. A completed check was within the file; however, it was an SD check, from a previous employer. Operator sent off the proper paperwork during today's inspection. Staff was taken off the floor and cannot return to the facility until their completed check is returned.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jun 28, 2024	Jul 22, 2024
Comments: Deficiency is now compliant			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Jun 28, 2024	Jul 22, 2024
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Apr 30, 2024	Jul 22, 2024
Comments: Deficiency is now compliant			

### General Comments

A Monitoring Inspection was completed this afternoon. Upon entry, the school aged children were inside, playing a balloon game. Children were observed smiling and laughing, while playing. Educator was engaged with the children and taking part in the game. The school aged children are presently interested in Jurassic

## General Comments

World and are creating their very own Jurassic World, in their classroom. The preschooler's classroom was observed. Several well-defined learning centers were observed. Centers were well stocked with materials and accessories. Several forms of documentation were observed throughout the room. Educator stated that the preschoolers are presently interested in ocean animals and plants. Both groups were observed playing outside. Activities included the following: blowing bubbles, water play, sandbox play, climbing, mud kitchen, chalk, and trucks / cars. Picnic tables and parts of the fence had been recently painted, which brought more color, into the backyard. A new garden was observed, with sunflowers, beans, and lettuce. A new water wall, made with pipes, was observed. Operator stated that a new climbing wall would be added soon. A conversation was had regarding the back left side of the outdoor play area. Today, children were observed spraying this area with a hose, creating a spot for water play. Fresh water play is allowed, but a conversation was had with operator regarding rainwater, and how this area would need to be off limits, if it contained standing water, from rain. Operator stated that this area is usually dry, and only gets wet via the hose.

original signed by  
Cathleen LeBlanc

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

July 22, 2024

\_\_\_\_\_  
Date

original signed by  
Daoud Jaouni

\_\_\_\_\_  
Signature of Operator/Designate

July 22, 2024

\_\_\_\_\_  
Date