

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| Name of operator | | Licence Number | | | Inspection | Inspection Date | |
|---|--|----------------|---------------------------|---|----------------------|------------------|--|
| Shirley-Ann Howe | | 279029 | | | May 31, | May 31, 2023 | |
| Facility Name | | | | | Telephor | Telephone Number | |
| CLASS: CREATIVE LEARNING AFTER SCHOOL SOLUTIONS | | | (506) 51 | | | 2-3569 | |
| Address | | | | | - | | |
| 25 Duke St S | ussex NB E4E 1P8 | | | | | | |
| Name of Early Learning and Childcare Licensing Staff | | | Position Title | | | | |
| Britta Garnett | | | Quality Assurance Monitor | | | | |
| Order for Compliance | | | | | Date to be corrected | Date corrected | |
| 28(3) The premises of a licensed facility shall comply with (a) lightin ventilation and other general health standards under the Public Healt Act. | | | 28(3)(a) Jul 2 | | lul 22, 2021 | Nov 25, 2022 | |
| Comments: | Deficiency is now compliant. Back dated to Renewal Inspection. | | | | | | |
| 28(3) The premises of a licensed facility shall comply with (b) codes a standards under the Fire Prevention Act. | | codes and | 28(3)(b) Jul 2 | | lul 26, 2021 | Nov 25, 2022 | |
| Comments: | Deficiency is now compliant. Back dated to Renewal Inspection. | | | | | | |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. | | antity for | 32(1)(a) Ju | | lul 26, 2021 | Nov 25, 2022 | |
| Comments: | Deficiency is now compliant. Back dated to Renewal Inspection. | | | | | | |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. | | area | 32(1)(d) Jul | | lul 26, 2021 | Nov 25, 2022 | |
| Comments: | Deficiency is now compliant. Back dated to Renewal Inspection. | | | | | | |
| | of a licensed facility shall not permit a child receilicensed facility access to the kitchen unless the | | 37 | J | lul 22, 2021 | Nov 25, 2022 | |
| Comments: | Deficiency is now compliant. Back dated to Renewal Inspection. | | | | | | |
| guardian of a cl | ator of a licensed facility shall inform the parent on the hild in-volved in an incident on the day the incident on the day the incident on the day the dail wareness. | ent takes | 50(2) | J | lun 12, 2023 | | |
| Comments: | Review of Incident Log, some Incident Log ent inspection - ensure parents sign off on the Incident | | | | | | |

| General Comments | |
|--|--|
| Monitoring Inspection: | |
| Children and educators observed engaged in a variety of activitie mindfulness activities, sensory opportunities, open ended art, an encouraging children solve problems independently. | |
| The indoor play area is set up with a variety of invitations and madisplayed throughout the environment that promote kindness and throughout the play area that support this children's current inter- | d mindfulness. Materials have been added |
| original signed by Britta Garnett Signature of Early Learning and Childcare Licensing Staff | May 31, 2023 Date |
| original signed by Signed report not returned Signature of Operator/Designate | May 31, 2023 Date |