



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA of Southwestern New Brunswick Inc.	Licence Number 283001	Inspection Date February 06, 2025
Facility Name YMCA - Regional - PS and ASP	Telephone Number (506) 646-2384	
Address 191 Churchill Boulevard Saint John NB E2K 3E2		
Name of Early Learning and Childcare Licensing Staff Aimee Hanson	Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Feb 20, 2025	Feb 06, 2025
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications.	39(2)(b)	Feb 06, 2025	Feb 06, 2025
Comments: Deficiency is now compliant			

General Comments
<p>A renewal inspection occurred today. Children were observed indoor due to weather during first half of the day and then went outside when the temperature warmed up.</p> <p>Various forms of invitations were set up, including a science table with props to explore. Children were enjoying the steppingstones placed throughout the classroom. "The floor is lava" was a favorite game which promoted active and physical play.</p> <p>Areas were flexible to accommodate children's emerging interests. Furnishings were child-size, comfortable and accessible.</p> <p>Documentation was present within the classrooms that displayed open-ended art projects created and led by the children.</p> <p>Educators had purposely planned activities that took into account each child's strengths, interests and desires. Medication was in a shelf unlocked (Advil and Tylenol) but was fixed during inspection. Work order is in place for entire Preschool room to be painted.</p> <p>All checks were complete. All staff and a random review of children's files were also verified and complete.</p>

original signed by
Aimee Hanson

Signature of Early Learning and Childcare Licensing Staff

February 06, 2025

Date

original signed by
Bailey Craig

Signature of Operator/Designate

February 06, 2025

Date