

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 283002	Inspection Date October 16, 2020
Facility Name YMCA OF GREATER SAINT JOHN ROTHESAY AFTER SCHOOL PROGRAM		Telephone Number (506) 847-7584
Address 230 Eriskay Drive Rothesay NB E2E 5G7		
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Oct 21, 2020	
<p>Comments:</p> <p>Group Logs: Temperatures were not recorded for staff members. Ensure these are documented daily. Discussed group log with site lead. Ensure there are no more than 15 children within a bubble, even when part time children are included as part of that bubble.</p> <p>Washrooms: There are 3 bubble groups and 3 educators on site. Washrooms were not cleaned frequently on day of inspection. Recommending to have another educator on site to support challenges around cleaning washrooms.</p> <p>Serving snack: Plate of vegetables was placed in the middle of the children's table during snack. Snack must be plated by educators and not by the children at this time. Please review Recovery Phase guidelines.</p>			

<p>General Comments</p> <p>COVID-19 Recovery Phase. Completed monitoring inspection today. Educators were engaged with children in activities that supported their interests.</p> <p>It was difficult for educators to supervise all children while also ensuring that bubble groups were physically distancing from one another during transition times (ex: arrival of different groups of children, and moving from the cafeteria room to the gym). Discussed these challenges with educators.</p> <p>The division of space/bubble group configurations need to be revised in order to alleviate challenges during these transition times. Currently, half of one group of children must leave their space within the room (and either move to the gym or go outside) in order to meet the measured space requirements for the room. This involves the children having to wait because there were not enough educators on site to either take a group outside or ensure the gym has been sanitized. Children should not have to wait for an available space each day during this transition time.</p> <p>Recommending that this site be given an additional educator for support (for cleaning, screening, and to</p>

General Comments

provide additional supervision during transition times such as children arriving or departing from program).

original signed by
Breanne Jones

October 16, 2020

Signature of Early Learning and Childcare Licensing Staff

Date

Signature of Operator/Designate

Date