

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator YMCA of Southwestern New Brunswick Inc.		Inspection Date May 11, 2026
Facility Name YMCA - Rothesay - ASP		Licence Number 283002
Address 230 Eriskay Drive Rothesay NB E2E 5G7		Telephone Number (506) 849-5784
Type of Facility Part-time Early Learning and Childcare Centre	Maximum Number of Children 45	Ages of Children SCHOOL-AGE
ELCC Licensing Staff Britta Garnett	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (e) administration of medication records. Comments: Deficiency is now compliant.	24(1(e)	Apr 21, 2026	May 11, 2026
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (v) the child's health history and a copy of the record of immunizations or a copy of an exemption. Comments: Child's health history is now updated. Deficiency is now compliant.	24(1)(b)(v)	Apr 21, 2026	May 11, 2026
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (c) instructions regarding evacuation in case of a fire as approved by the fire marshal, deputy fire marshal or fire prevention officer. Comments: Deficiency is now compliant.	25(c)	Apr 24, 2026	May 11, 2026
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (d) the name of the administrator. Comments: Deficiency is now compliant.	25(d)	Apr 24, 2026	May 11, 2026
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review. Comments: Deficiency is now compliant.	33(3)	Apr 24, 2026	May 11, 2026

<p>General Comments</p> <p>Follow-Up Inspection #2:</p> <p>Child-to-staff ratio was observed to be met during Follow-Up Inspection. All required documents are now in place.</p>

General Comments

Recommended for licensing - pending Fire and Public Health Recommendations.

original signed by
Britta Garnett

Signature of Early Learning and Childcare Licensing Staff

May 12, 2026

Date

original signed by
D. Buock

Signature of Operator/Designated staff

May 12, 2026

Date

"I hereby acknowledge receipt of this report"