

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 283003	Inspection Date June 30, 2020
Facility Name YMCA OF GREATER SJ Q-PLEX AFTER SCHOOL PROGRAM - DOWNSTAIRS		Telephone Number (506) 849-5784
Address 20 Randy Jones Way Quispamsis NB E2E 0P1		
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jun 30, 2020	
<p>Comments: Masks: Educators observed wearing a mask and adjusting/removing without washing hands. When educators must wear a mask, they must wash hands after handling/readjusting (Previous comply by date of June 24/20 and June 25/20).</p> <p>Screening: Ear thermometer was not being used properly today for children under the age of 12. For children under 12 years of age, a contact thermometer must be used (either armpit or ear). Discussed with educator who was screening today (Also stated on last monitoring inspection June 25/20).</p> <p>Outdoor equipment: Educators are sharing outdoor equipment between groups of children without proper sanitization. Educators were informed that if groups are sharing outdoor toys/equipment such as balls etc., these need to be cleaned and sanitized between groups.</p> <p>Children did not wash hands before going outside to use outdoor equipment. Hand washing must occur before and after outdoor equipment use.</p> <p>Sanitizing solution: Each room/group must have their own bottle of sanitizing spray accessible to the educators within the room. There is only 1 key to the storage closet with cleaning supplies and this room must be locked at all times. Sanitizing spray can be left out on a high shelf or hung on the wall for accessibility (Previously discussed on June 25/20).</p> <p>Group log document: Group logs were incomplete today. Please ensure the date is recorded on each document, each day going forward. Support worker was inaccurately listed on the wrong group log today as well. This was fixed during the inspection (Previous comply by date of June 25/20).</p>			
39(3) Despite paragraph (2)(b), medications administered in cases of anaphylactic shock shall not be stored in a locked space.	39(3)	Jun 30, 2020	
<p>Comments: Epipen and Benadryl were left on the shelf dividing the downstairs groups. Medications for life threatening conditions must be unlocked but also inaccessible to children. There should be a designated area (a high shelf, bin or backpack) within each room containing Epipens or medications for life threatening conditions. An Allergy Management and Emergency Plan should be kept with the child's medication and all staff must be aware of protocols in case of emergency. Additional staff training is required.</p>			

General Comments
Monitoring inspection completed today to follow up on orders for compliance. Some improvements were noted but orders for compliance remain. Please ensure that all staff are trained and well aware of children with Epipens and their specific protocols.

General Comments

Continue to ensure that children/educators are not travelling through downstairs groups space to exit for outdoor play. Only the downstairs groups of children and their educators should be using those doors.

original signed by
Breanne Jones

Signature of Early Learning and Childcare Licensing Staff

June 30, 2020

Date

original signed by
Kyle Mallett

Signature of Operator/Designate

June 30, 2020

Date