

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 283003	Inspection Date October 29, 2020	
Facility Name YMCA OF GREATER SJ Q-PLEX AFTER SCHOOL PROGRAM - DOWNSTAIRS		Telephone Number (506) 849-5784	
Address 20 Randy Jones Way Quispamsis NB E2E 0P1			
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary licence issued under section 29.	21(a) – (d)	Nov 04, 2020	
Comments: Monitoring Inspection dated July 8, 2020 not posted on Parent Board. Original comply by date: July 9th, 2020.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Nov 04, 2020	
Comments: COVID-19 Recovery Phase: Washrooms not being cleaned between groups. When washrooms are shared by more than one group cleaning must happen between groups. Staff not taking temperatures upon arrival. All staff must take their temperature upon arrival each day. Temperatures to be documented on Group Log. Group Log - date established not documented correctly. Date established must change each time a new child is added to a group. Discussed what this should look with educators and supervisor today.			
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards.	29	Nov 02, 2020	
Comments: Two full size hockey nets stored in front of doors to outside. These nets must be removed before children arrive each day as they are blocking the fire exit. Discussed this with educator downstairs today and nets were removed immediately.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Nov 09, 2020	
Comments: Grey chair with cushion missing. To be removed or cushion replaced.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jul 09, 2020	Oct 29, 2020
Comments: Deficiency is now compliant			

General Comments

Downstairs environment now open. Two groups have been moved downstairs.

Children engaged in a variety of activities this afternoon both indoors and outdoors.

Would like to see children's photos, open ended art and interests documented and displayed within each environment. How could you incorporate this into your environment?

Discussed cleaning of washrooms with educators and supervisor. Both groups were observed sharing washrooms without cleaning in between. Recommend each group is assigned a washroom to help reduce the cleaning required by educators.

original signed by
Britta Garnett

Signature of Early Learning and Childcare Licensing Staff

October 29, 2020

Date

original signed by
Laura Greer

Signature of Operator/Designate

October 29, 2020

Date