

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 283004	Inspection Date March 07, 2022	
Facility Name YMCA OF GREATER SAINT JOHN REGIONAL CHILD CARE		Telephone Number (506) 646-2384	
Address 191 Churchill Boulevard Saint John NB E2K 3E2			
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Feb 26, 2021	Jan 27, 2022
Comments: Deficiency is now compliant			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Feb 15, 2021	Jan 27, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Feb 26, 2021	Jan 27, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Feb 08, 2021	Jan 27, 2022
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Feb 08, 2021	Jan 27, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Feb 15, 2021	Mar 07, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Feb 08, 2021	Jan 27, 2022

Order for Compliance	Regulation	Date to be corrected	Date corrected
----------------------	------------	----------------------	----------------

Comments: Deficiency is now compliant

General Comments  
 All orders compliant at Renewal and Follow Up Inspection.

original signed by  
 Britta Garnett

March 07, 2022

\_\_\_\_\_  
 Signature of Early Learning and Childcare Licensing Staff

\_\_\_\_\_  
 Date

\_\_\_\_\_  
 Signature of Operator/Designate

\_\_\_\_\_  
 Date