

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 283004	Inspection Date March 07, 2022	
Facility Name YMCA OF GREATER SAINT JOHN REGIONAL CHILD CARE		Telephone Number (506) 646-2384	
Address 191 Churchill Boulevard Saint John NB E2K 3E2			
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	Jan 27, 2022	Jan 27, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,	24(1)(b)(i)	Feb 18, 2022	Mar 07, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Feb 18, 2022	Mar 07, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Feb 18, 2022	Mar 07, 2022
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jan 31, 2022	Mar 07, 2022
Comments: Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Mar 21, 2022	
Comments: The wall on the right hand side upon entering the 3/4s room still requires cleaning and fresh paint. Walls are still showing marks surrounding the gross motor play area as well. These walls must be freshly painted from top to bottom. An anticipated date of completion to be sent to inspector as soon as possible. Previous comply by date of Feb.25, 2022 as noted on renewal inspection report.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. Comments: Deficiency is now compliant	32(1)(a)	Feb 04, 2022	Mar 07, 2022
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. Comments: One cabinet door has been replaced in the 3/4s room, however, 2 cupboards have been taped and the locks are still not functional. Tape can not be used to repair this. These cabinets must be fixed as soon as possible. An anticipated date that repairs will be completed to be sent to inspector. Previous comply by date of Feb.25, 2022 as noted on renewal inspection report.	32(1)(d)	Mar 21, 2022	
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications. Comments: Deficiency is now compliant	39(2)(b)	Jan 27, 2022	Mar 07, 2022

**General Comments**

Follow up to renewal inspection completed today. The paint that was applied to the walls in the 3/4s room is not satisfactory. Orders for compliance remain.  
Ensure medication is only stored within cabinets with a functional lock.

original signed by  
Breanne Jones

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

March 07, 2022

\_\_\_\_\_  
Date

original signed by  
Tina Vincent

\_\_\_\_\_  
Signature of Operator/Designate

March 07, 2022

\_\_\_\_\_  
Date