

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 283053	Inspection Date November 02, 2020
Facility Name YMCA OF GREATER SAINT JOHN LAKEWOOD HEIGHTS AFTER SCHOOL PROGRAM		Telephone Number (506) 658-2816
Address 56 Lensdale Crescent Saint John NB E2J 3P3		
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (ii) to explore various forms of literacy. Comments: Deficiency is now compliant	21(c)(ii)	Oct 02, 2020	Nov 02, 2020
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. Comments: Proper screening protocols were not followed upon arrival to facility. All essential visitors must have their temperature taken and staff must ensure they have answered the screening questionnaire upon arrival. This was prompted by the inspector upon arrival.	28(3)(a)	Nov 02, 2020	
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. Comments: Additional materials are still required within each group. Some groups were lacking in creative art materials, books, games, etc. Materials should be based on the children's interests. Discussed examples with site lead. Refer to previous comments/recommendations from renewal inspection. (Previous comply by date of Sept. 30/20).	32(1)(a)	Nov 09, 2020	
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; Comments: Deficiency is now compliant	39(2)(a)	Sep 29, 2020	Nov 02, 2020
48(6) An operator of a licensed facility shall post information relating to any allergies of the children in the food preparation area. Comments: Deficiency is now compliant	48(6)	Sep 30, 2020	Nov 02, 2020

General Comments Completed follow up to renewal inspection today. Some orders for compliance remain. Some educators on site are consistent, however, others are frequently changing and being shared between
--

General Comments

multiple sites. Consistency is important and frequent changes in staff should be avoided (see page 55 of Operator Manual).

Educators have established a new plan for hand washing/washroom use to prevent the crossing of bubbles and report that this is working well. Each group has a designated sink/washroom to use and educators report that washrooms are being cleaned hourly.

Additional books could be added within particular groups to enrich literacy, particularly relating to the children's interests and displayed in a way to capture the children's attention.

Additional follow up required prior to licence renewal.

original signed by
Breanne Jones

Signature of Early Learning and Childcare Licensing Staff

November 02, 2020

Date

original signed by
Jennifer Cormier

Signature of Operator/Designate

November 02, 2020

Date