

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 283053	Inspection Date June 01, 2022	
Facility Name YMCA OF GREATER SAINT JOHN LAKEWOOD HEIGHTS AFTER SCHOOL PROGRAM		Telephone Number (506) 658-2816	
Address 56 Lensdale Crescent Saint John NB E2J 3P3			
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor	
Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Jun 13, 2022	
Comments: Planning sheets have been completed however, the environment is not set up in a way that supports the children's current interests. Purposeful planning to be visible through invitations, materials added to the environment, documentation and planned activities that support these interests. Discussed with site lead how purposeful planning also includes creating an environment that is set up with materials in a way that is inviting for children.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	May 20, 2022	Jun 01, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	May 20, 2022	Jun 01, 2022
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (vii) documentary evidence of the child's learning.	24(1)(b)(vii)	Jun 13, 2022	
Comments: Some art was displayed on the walls however, there is no other evidence of the children's learning within the environment. If the walls can not be used due to shared space, this must be displayed in another way such as a books created within groups, albums of photos, charts, creating poster boards to display, etc. This could also be demonstrated through ongoing/past projects and models displayed within the environment. Discussed with site lead during follow up inspection. Previous comply by date - Renewal - May 20, 2022.			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	May 20, 2022	Jun 01, 2022

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Jun 13, 2022	
Comments: The walls (particularly in the corners) within the room require minor repairs/crack fill and need to be painted. Proof that a work order has been submitted (ex: email to the district/principal) to be forwarded to QA Monitor if this work will not be completed by license expiry.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility,	32(1)(b)	May 20, 2022	Jun 01, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	May 20, 2022	Jun 01, 2022
Comments: Deficiency is now compliant			

General Comments

Follow Up Inspection:

Some orders for compliance remain from Renewal Inspection. QA Monitor will return before program closes for summer.

original signed by
Britta Garnett

 Signature of Early Learning and Childcare Licensing Staff

June 01, 2022

 Date

original signed by
Heather Oldfield

 Signature of Operator/Designate

June 01, 2022

 Date