

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 283054	Inspection Date July 20, 2022	
Facility Name YMCA of Greater SJ Forest Glen After School Program		Telephone Number (506) 658-2816	
Address 651 Westmorland Road Saint John NB E2J 2H3			
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Sep 30, 2021	Dec 06, 2021
Comments: Deficiency is now compliant			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Sep 30, 2021	Dec 06, 2021
Comments: Deficiency is now compliant			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Sep 30, 2021	Dec 06, 2021
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Sep 30, 2021	Dec 06, 2021
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Sep 27, 2021	Feb 10, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Sep 30, 2021	Feb 10, 2022
Comments: Deficiency is now compliant			
34(4) Despite sections 9 and 10, one educator is required for each of the following groups of children accessing a private pool, a public pool or a public swimming area while receiving services at a licensed facility: (a) one infant; (b) four preschool children or fewer; (c) eight school-age children or fewer; and (d) five children of mixed ages or fewer, if at least two of these children are school-age children.	34(4)	Jul 20, 2022	

Order for Compliance	Regulation	Date to be corrected	Date corrected
<p>Comments: QPlex Pool:</p> <p>All groups arrived for swimming at the QPlex Pool this morning. Reduced swimming ratio was not met. QA Monitor advised staff that children must not get in the pool until 3 more staff arrive on site. Educators called in a casual staff and borrowed two float staff from the YMCA - QPlex - Facility.</p> <p>Discussed how to calculate reduced swim ratios with educators during inspection. Swimming Ratio for School Age Children - 8:1. Support workers who are working one-on-one with a child must not be counted in ratio.</p>			
<p>General Comments</p> <p>Monitoring Inspection (at swimming - QPlex Pool):</p> <p>Ratio was calculated by QA Monitor during swimming outing today. Review of swimming requirements to be reviewed with all staff. (Section 10 - Safety and Well-Being of Children - 10.10 - Pools)</p> <p>All other orders corrected and back dated to Renewal or Follow Up Inspection.</p>			

original signed by Britta Garnett	July 20, 2022
_____ Signature of Early Learning and Childcare Licensing Staff	_____ Date
original signed by Heather Oldfield	July 20, 2022
_____ Signature of Operator/Designate	_____ Date