

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Unicorn Children's Centre Inc.	Licence Number 322001	Inspection Date February 28, 2023
Facility Name Unicorn Children's Center		Telephone Number (506) 387-4160
Address 500 CLEVELAND Avenue Riverview NB E1B 1Y2		
Name of Early Learning and Childcare Licensing Staff Sophie Powers		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Mar 14, 2023	
Comments: One staff member's first aid certificate and CPR certificate was not valid. Staff member needs a 16-hour Standard First Aid with CPR Level C certificate issued from a recognized provider such as: Workplace Standard First Aid and CPR Level C; or Standard Childcare First Aid and CPR Level C. The staff member in question received an email from provider saying the wrong certificate was sent to her. As soon as the valid certificate is sent to the staff member, a copy will be sent to Quality Assurance monitor.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Mar 14, 2023	
Comments: In one staff member's file the first aid certificate and CPR certificate was not valid. Staff member needs a 16-hour Standard First Aid with CPR Level C certificate issued from a recognized provider such as: Work Place Standard First Aid and CPR Level C; or Standard Childcare First Aid and CPR Level C. The staff member in question received an email from provider saying the wrong certificate was sent to her. As soon as the valid certificate is sent to the staff member, a copy will be sent to Quality Assurance monitor.			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Apr 03, 2023	
Comments: A monthly review and maintenance plan of all stationary equipment was not available on site. An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review			

General Comments
Visit done at the facility for a monitoring inspection. Ratio was respected during the visit.

General Comments

Quality assurance monitor verified storage spaces. The facility has a separate locked storage space that is inaccessible to the children for toxic products, chemical products and cleaning supplies.

New staff member's information was entered in the system.

QA monitor also verified the criminal record checks, the vulnerable sector checks and the social development checks of all board members of the non-profit facility. Everything was in order.

While QA monitor was on site, she was able to observe children play indoors and outdoor. She observed positive interaction between educators and children.

original signed by
Sophie Powers

Signature of Early Learning and Childcare Licensing Staff

February 28, 2023

Date

original signed by
Anita Good

Signature of Operator/Designate

February 28, 2023

Date