

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Moncton Boys and Girls Club Inc.	Licence Number 327006	Inspection Date February 08, 2024
Facility Name Little Treasures Child Care		Telephone Number (506) 387-8044
Address 15 Everett Street Moncton NB E1C 3Z6		
Name of Early Learning and Childcare Licensing Staff Sarah MacDougall-LeBlanc		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Feb 08, 2024	Feb 08, 2024
Comments: Inspector was unable to see a valid First Aid and Cardiopulmonary resuscitation certificate for a relief staff. This information was added to the staff's file during the inspection. Deficiency is now compliant			
12(2) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development is conducted on each individual before he or she becomes a staff member.	12(2)	Feb 06, 2024	Jan 31, 2024
Comments: Required proof has been provided to the Inspector. Deficiency is now compliant			
22 The daily routine of a licensed facility shall include (a) outdoor play for at least one hour in each four-hour block of time when the majority of children receiving services are in attendance except in the following circumstances: (i) the wind chill is below -20 °C; (ii) the temperature is below -20 °C; or (iii) the temperature is 33 °C with humidity or above.	22(a)	Jan 23, 2024	Feb 08, 2024
Comments: The daily routine has been changed in order to ensure that outdoor play occurs for 1 hour in every 4 hour period. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Feb 06, 2024	Feb 08, 2024
Comments: All required information was indicated in the verified children's records. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	Feb 06, 2024	Jan 30, 2024
Comments: Required proof has been provided to the Inspector. Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vi) a copy of a check with the Department of Social Development.	24(1)(c)(vi)	Feb 06, 2024	Jan 31, 2024
Comments: Required proof has been provided to the Inspector. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Feb 08, 2024	Feb 08, 2024
Comments: Inspector was unable to see a valid First Aid and Cardiopulmonary resuscitation certificate for a relief staff. This information was added to the staff's file during the inspection. Deficiency is now compliant			
36(6) A cot, a nap mat or the mattress of a crib or portable playpen shall be washable and non-absorbent or covered with a non-absorbent layer.	36(6)	Jan 23, 2024	
Comments: Inspector observed that certain rest mats are ripped at the corners. Administrator must ensure that these are replaced or repaired in order to ensure that all nap equipment is washable and non-absorbent.			
36(7) A nap mat shall be at least 5 cm in thickness and stored in a way that avoids contact with the surface of another nap mat or disinfected on both sides after each use.	36(7)	Feb 06, 2024	Feb 08, 2024
Comments: The nap equipment is stored in a way so that there is no contact between other nap equipment. Deficiency is now compliant			

General Comments

Ratio is respected during the time of the inspection.

original signed by
Sarah MacDougall-LeBlanc

Signature of Early Learning and Childcare Licensing Staff

February 08, 2024

Date

original signed by
Michelle LeBlanc

Signature of Operator/Designate

February 08, 2024

Date