

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Dieppe Boys and Girls Club Inc.	Licence Number 333028	Inspection Date September 09, 2022
Facility Name Play, Laugh, Grow Learning Centre 2		Telephone Number (506) 857-3807
Address 76 rue Emmanuel Dieppe NB E1A 2J5		
Name of Early Learning and Childcare Licensing Staff Sarah MacDougall		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,	24(1)(b)(i)	Sep 22, 2022	
Comments: 3 of the audited children's records do not have a Medicare number indicated. Recommendation that Administrator review all children's records to ensure that all required documentation is indicated.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Sep 22, 2022	
Comments: 1 of the audited children's records does not have the name, address or telephone number of the medical practitioner. Recommendation that Administrator review all children's records to ensure that all required documentation is indicated.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Sep 22, 2022	
Comments: 1 of the audited children's records only has one emergency contact. Recommendation that Administrator review all children's records to ensure that all required documentation is indicated.			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (c) permitting the administration of medication in the circumstances set out in section 46.	27(c)	Sep 22, 2022	
Comments: 1 of the audited children's records is missing the consent for administering medication. Recommendation that Administrator review all children's records to ensure that all required documentation is indicated.			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (d) permitting the administration of emergency care to the child.	27(d)	Sep 22, 2022	
Comments: 1 of the audited children's records is missing the consent for emergency care. Recommendation that Administrator review all children's records to ensure that all required documentation is indicated.			

Order for Compliance	Regulation	Date to be corrected	Date corrected
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (g) transporting or providing for the transportation of the child.	27(g)	Sep 22, 2022	
Comments: 1 of the audited children's records is missing the consent for transporting the child or providing transportation. Recommendation that Administrator review all children's records to ensure that all required documentation is indicated.			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (b) covered with a non-absorbent layer.	41(1)(b)	Sep 12, 2022	
Comments: One of the diaper changing surfaces used is not covered with a non-absorbent layer. Administrator must ensure that a new changing surface with a non-absorbent layer is provided for diaper changes.			

General Comments
<p data-bbox="68 604 1513 697">During the Inspection, Inspector observed children eating their snack and lunch. Inspector also observed outdoor and indoor play as well as the rest period. Inspector observed positive interactions between the children and the educators, such as positive redirection and positive reinforcement.</p> <p data-bbox="68 739 760 760">Ratio was respected during the time of the inspection.</p>

original signed by
Sarah MacDougall

Signature of Early Learning and Childcare Licensing Staff

September 09, 2022

Date

original signed by
Kelly Guignard

Signature of Operator/Designate

September 09, 2022

Date