

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator First Baptist Child Care Center Inc.	Licence Number 334015	Inspection Date June 28, 2022
Facility Name Miracles at First Child Care Centre		Telephone Number (506) 852-9105
Address 157 Queen Street Moncton NB E1C 1K9		
Name of Early Learning and Childcare Licensing Staff Sarah MacDougall		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,	24(1)(b)(i)	Jul 05, 2022	
Comments: 3 of the audited children's records had an expired Medicare date indicated. 1 of the audited files had no expiry date indicated and 1 audited file did not have a Medicare number indicated. Administrator must ensure that all children's records are kept up to date and reviewed annually by parents.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Jul 05, 2022	
Comments: 3 of the audited children's records did not have the full address of the emergency contacts. The full address must be indicated to ensure that the emergency contacts can reach the facility within an hour. Recommendation that Administrator review all children's records.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	Jul 05, 2022	
Comments: 4 staff files do not have a copy of their ECE or curriculum certificates. Administrator must ensure that this information is added to the staffs records.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Jul 05, 2022	
Comments: 8 staff files do not have a signed statement regarding obligations under the Act and licensing regulations. Administrator must ensure that the signed statement is added to missing staff records.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jul 12, 2022	

Order for Compliance	Regulation	Date to be corrected	Date corrected
<p>Comments: There are currently modifications being made in one of the outdoor play areas (a walkway is being put in). In the other play area, there is a gravel pile with orange cones around it as well as a rusty wheelbarrow. Administrator may use the outdoor play area that is not currently under construction. However, Administrator must ensure that the wheelbarrow is removed before the children go outside. Administrator must also ensure that there is adequate supervision to ensure that children do not go near the pile of gravel. Children are not to use the outdoor play area that is under construction, until this has been completed. Administrator will advised the Inspector once construction is completed.</p>			
<p>41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (d) no more than one metre from a sink.</p>	<p>41(1)(d)</p>	<p>Jun 28, 2022</p>	
<p>Comments: One of the diaper changing areas is not located less than one meter from a sink. Administrator must ensure that the area is either moved to a location in which it is less than one meter from the sink, or remove the changing area and use one that is located less than 1 meter from a sink.</p>			
<p>41(3) An operator of a licensed facility shall (a) post diaper-changing procedures in diaper-changing areas.</p>	<p>41(3)(a)</p>	<p>Jun 28, 2022</p>	
<p>Comments: The diaper changing procedures are not posted in one of the diaper changing areas. Administrator must ensure that all diaper changing areas have the diaper changing procedures posted.</p>			

<p>General Comments</p>
<p>Duing the time of the inspection, Inspector observed positive interactions between educators and children. Throughout the day, children appeared to be engaged in their activites. Inspector observed snack time, lunch time as well as their rest period.</p> <p>Ratio was respected during the time of the inspection.</p>

original signed by
Sarah MacDougall
 Signature of Early Learning and Childcare Licensing Staff

June 28, 2022
 Date

original signed by
Vanessa Golding
 Signature of Operator/Designate

June 28, 2022
 Date