

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence N	umber	nber		Inspection Date	
lay School Inc. 334017				February 20, 2025		
Facility Name	I			Telephon	e Number	
Playschool				(506) 536-1837		
Address						
Unit A 223 Main Street Sackville NB E4L 3A7						
Name of Early Learning and Childcare Licensing Staff		Position Title				
Stephanie Leger		Inspector				
Order for Compliance		Regulation	Date to be corrected		Date corrected	
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.		28(2)	Jan 31, 2025			
Comments:						
General Comments						
Inspector was onsite for the follow up inspection. Monthly fire drills have not been completed for the month of January. This is the second reminder that an operator of a licensed facility shall carry out emergency evacuation and fire drills monthly. Ratio was respected during the follow up inspection.						
original signed by Stephanie Leger		February 20, 2025				
Signature of Early Learning and Childcare Licensing Staf	f Da	ite				
original signed by Allison Butcher		Fe	bruary	20, 2025		
Signature of Operator/Designate	Da	ite				