

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Re-Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator RIVERVIEW BOYS & GIRLS CLUB INC.	Licence Number 336006	Inspection Date March 22, 2019
Facility Name AFTERSCHOOL ADVENTURE CAMP		Telephone Number (506) 387-7070
Address 50 Runnymede Road Riverview NB E1B 4M7		
Name of Early Learning and Childcare Licensing Staff Erin MacLaggan		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Feb 28, 2019	Mar 22, 2019
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Feb 12, 2019	Mar 22, 2019
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (f) the name and telephone number of the members of the board of directors, if applicable.	25(f)	Mar 29, 2019	
Comments: Name and number of Operator is required to be posted.			
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility.	44(a)	Feb 28, 2019	Mar 22, 2019
Comments: Deficiency is now compliant			

General Comments QA Monitor and Executive Director discussed posting requirements for Operator. It is acceptable to post in the room where parents can see the information. Director will verify via email once completed.
--

original signed by
Erin MacLaggan

March 22, 2019

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Lynda Carey

March 22, 2019

Signature of Operator/Designate

Date