

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator DARLA DUNSTON & KIM LUTES	Licence Number 346014	Inspection Date August 06, 2021	
Facility Name Little Tykes Learning Center		Telephone Number (506) 384-7513	
Address 120 Lorne St Moncton NB E1C 0J3			
Name of Early Learning and Childcare Licensing Staff Maryse Léger		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Aug 13, 2021	
Comments: Two staff files are missing their job description.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Aug 13, 2021	
Comments: All staff files are missing a signed statement regarding obligations under the 2018 Act and licensing regulation.			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (e) the name and telephone number of the inspector.	25(e)	Aug 13, 2021	
Comments: The name and telephone number of the Inspector is not posted.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Aug 13, 2021	
Comments: Some structures in the afterschool playground do not have the required amount of protective surface. Operator must ensure that the required structures have the correct amount of protective surface.			
37 An operator of a licensed facility shall not permit a child receiving services at the licensed facility access to the kitchen unless the child is supervised.	37	Aug 13, 2021	
Comments: The kitchen is presently accessible to the children. The Operator must ensure that the kitchen is inaccessible.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Aug 13, 2021	
Comments: House paint is stored in the kitchen and the Resource Room with doors that are unlocked. All toxic products must be stored in a locked storage space. When brought to the attention of the Administrator, the paint in the kitchen was removed and stored in a locked space.			

General Comments

During the inspection, the Inspector observed indoor play, lunch, nap and snack time. Documentation of children's learning is posted in each room.

The ratio is in compliance at the time of inspection.

original signed by
Maryse Léger

Signature of Early Learning and Childcare Licensing Staff

August 06, 2021

Date

original signed by
Kim Lutes

Signature of Operator/Designate

August 06, 2021

Date