

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator DARLA DUNSTON & KIM LUTES	Licence Number 346014	Inspection Date August 27, 2021	
Facility Name Little Tykes Learning Center		Telephone Number (506) 384-7513	
Address 120 Lorne St Moncton NB E1C 0J3			
Name of Early Learning and Childcare Licensing Staff Maryse Léger		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Aug 13, 2021	Aug 27, 2021
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Aug 13, 2021	Aug 27, 2021
Comments: Deficiency is now compliant			
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (e) the name and telephone number of the inspector.	25(e)	Aug 13, 2021	Aug 27, 2021
Comments: Deficiency is now compliant			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	Sep 03, 2021	
Comments: Efforts were made to increase the amount of protective surface around the play structures. Children are not allowed to use the play structures until the required 30 cm depth of protective surface is met.			
37 An operator of a licensed facility shall not permit a child receiving services at the licensed facility access to the kitchen unless the child is supervised.	37	Aug 13, 2021	Aug 27, 2021
Comments: Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Aug 13, 2021	Aug 27, 2021
Comments: Deficiency is now compliant			

General Comments

During the inspection, the Inspector observed indoor play, lunch and nap time.

The ratio is in compliance at the time of inspection.

original signed by
Maryse Léger

Signature of Early Learning and Childcare Licensing Staff

August 27, 2021

Date

original signed by
Darla Dunston

Signature of Operator/Designate

August 27, 2021

Date