

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Darla Dunston & Kim Duffy	Licence Number 346014	Inspection Date March 06, 2025	
Facility Name Little Tykes Learning Center		Telephone Number (506) 384-7513	
Address 120 Lorne St Moncton NB E1C 0J3			
Name of Early Learning and Childcare Licensing Staff Tina Richard Tardif		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Mar 28, 2025	
Comments: An educator first aid and CPR is expired. Educator is registered to take the course on March 22. A copy of the certificate will be sent and place in their file			
12(3) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may, and a check with the Department of Social Development is conducted on each staff member and associated person at least every five years.	12(3)	Mar 19, 2025	
Comments: A staff member social development check is expired. Social Development checks need to be renewed every 5 years. A copy of the check was sent to Social Development on March 5, 2025. Employee will send a copy and put an updated copy in their file as soon as they receive it.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Mar 28, 2025	
Comments: An educator first aid and CPR is expired. Educator is registered to take the course on March 22. A copy of the certificate will be sent and place in their file			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Mar 06, 2025	Mar 06, 2025
Comments: A can of Febreze and a jug of Epsom Salts was left in a unlock cabinet in the basement washroom. Educator immediately locks the Febreze and Epsom Salts in a key closet.			
43 An operator of a licensed facility shall not permit hot beverages in areas that are occupied by the children receiving services at the licensed facility, including the outdoor play area, unless (a) the beverage is in a spill-proof container	43(a)	Mar 06, 2025	Mar 06, 2025
Comments: A cup of hot coffee is left on the educator's desk accessible to children in a non-spill proof mug. The administrator is immediately advise and the cup of coffee is removed. Deficiency is now compliant.			

## General Comments

During the initial inspection, the Inspector and Quality Assurance monitor observed the children playing freely indoors, lunch and nap time. The school children are watching a movie while the preschools are napping.

Inspector also had discussion with the operator concerning the children going outdoors daily, morning and afternoon.

Ratio is respected during the inspection.

original signed by

Tina Richard Tardif

Signature of Early Learning and Childcare Licensing Staff

March 24, 2025

Date

original signed by

Kim Duffy

Signature of Operator/Designate

March 24, 2025

Date