

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operation	lame of operator Licence I		Number		Inspection Date			
-		360022			August 02, 2022			
Facility Name						Telephone	Number	
The Spotted Toad Day Care				(506) 536-1498			1498	
Address								
19 Charlotte Street Sackville NB E4L 3T2								
Name of Early Learning and Childcare Licensing Staff			Position Title					
Sarah MacDougall			Inspector					
Order for Comp	liance		Reg	ulation	Date corre		Date corrected	
12(1) An operator of a licensed facility shall obtain a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development at least every five years.		12(1						
Comments: Corporation Director's criminal record/vulnerable check and Social Development check has expired. A valid criminal record/vulnerable sector check and Social Development check must be completed every 5 years and placed in their file. Once they are completed, a copy must be sent to the Inspector.								
check or a vulne with the Departr	or of a licensed facility shall ensure that a crimin erable sector check, as the case may be, and a ment of Social Development is conducted on ea e he or she becomes a staff member.	check	12(2)	Aug 1	6, 2022		
Comments: During the time of the Inspection, 1 staff did not have a copy of a clear Social Development check prior to employment. This staff was asked to leave the premises until a clear check can be provided. Once this check is received, Administrator must provide a copy to the Inspector.								
	ivities of a licensed facility shall be purposely p cumented and shall respond to the capabilities each child.		21		Aug (05, 2022		
Comments: An educator was unable to provide their programming during the time of the Inspection. Administrator must ensure that programming is on-site. Administrator will provide Inspector with proof of programming.								
prominent place (b) a report prov	hall post the following documents in a clearly vi in the facility associated with the licence: (a) the vided under section 23; (c) an order issued under bobationary license issued under section 29.	isible and ne licence;) – (d)	1	05, 2022		
Comments:	The most recent Renewal Inspection is not po Administrator must ensure that this is posted.	osted in a vi	sible	and prom	ninent	place in the fa	acility.	
records and doc licensed facility: address, birth da	irposes of subsection 20(1) of the Act, the follow cuments shall be maintained on the premises of (b) child records that include: (i) the child's nationate and Medicare number,	fa me,)(b)(i)		6, 2022		
Comments: 1 of the audited children's records has no Medicare number or expiry date indicated. 1 of the audited children's records has an expired Medicare number indicated. Recommendation that Administrator review all children's records to ensure that all required information is indicated.								

	pliance	Regulation	Date to be corrected	Date corrected
records and do licensed facility telephone num	urposes of subsection 20(1) of the Act, the following cuments shall be maintained on the premises of a : (b) child records that include: (iv) the name, address and ber of at least two individuals authorized by the child's lian to pick up the child and to be contacted in case of an	24(1)(b)(iv)	Aug 16, 2022	
emergency if th	e parent or guardian cannot be reached,			
Comments:	The full address is missing for an emergency contact in 1			
	must be indicated in order to ensure that the emergency			
	Recommendation that Administrator review all children's indicated.	records to en	sure that all require	d information is
records and do licensed facility	urposes of subsection 20(1) of the Act, the following cuments shall be maintained on the premises of a : (c) staff member records that include (iii) a description of	24(1)(c)(iii)	Aug 09, 2022	
Comments:	er's duties and responsibilities.	line and room	 	thair file. This
Comments.	The Administrator does not have a description of their du information must be added to the staff's records.	nies and respo		
	urposes of subsection 20(1) of the Act, the following	24(1)(c)(v)	Aug 09, 2022	
records and do licensed facility	cuments shall be maintained on the premises of a : (c) staff member records that include (v) a copy of a check or vulnerable sector check, as the case may be.		100 00, 2022	
Comments:	1 of the staff files is missing a copy of their vulnerable se	ctor check. Ac	dministrator must er	sure that a clear
	vulnerable sector check is provided before the staff can r must be provided to the Inspector.			
	urposes of subsection 20(1) of the Act, the following	24(1)(c)(vi)	Aug 16, 2022	
	cuments shall be maintained on the premises of a			
	: (c) staff member records that include (vi) a copy of a Department of Social Development.			
Comments:	During the time of the Inspection, Inspector observed tha the staff's records. Administrator was able to provide 1 Se Administrator could not provide the 2nd Social Developm premises until a clear check can be provided. Once this o to the Inspector.	ocial Develop nent check. Th	ment check and add	d it to the staff's file to leave the
records and do licensed facility valid first aid ce	urposes of subsection 20(1) of the Act, the following cuments shall be maintained on the premises of a : (c) staff member records that include (vii) a copy of a ertificate and a valid cardiopulmonary resuscitation ach administrator and educator.	24(1)(c)(vii)	Aug 09, 2022	
certificate for ea				
Comments:	One of the staff file's is missing a copy of a valid first aid must ensure that this information is added to the missing children until a valid first aid certificate and a valid CPR c	file and that t	his educator is not l	
Comments:	must ensure that this information is added to the missing children until a valid first aid certificate and a valid CPR c	file and that t certificate is pr	his educator is not l ovided.	
Comments: 25 An operator	must ensure that this information is added to the missing children until a valid first aid certificate and a valid CPR c r of a licensed facility shall post in a clearly visible and	file and that t	his educator is not l	
Comments: 25 An operator	must ensure that this information is added to the missing children until a valid first aid certificate and a valid CPR c	file and that t certificate is pr 25(b)	his educator is not l ovided. Aug 02, 2022	eft alone with
Comments: 25 An operator prominent place Comments:	must ensure that this information is added to the missing children until a valid first aid certificate and a valid CPR c r of a licensed facility shall post in a clearly visible and e on the premises: (b) the weekly menus. Inspector observed that the weekly menu is not posted in Administrator must ensure that this is posted.	file and that t certificate is pr 25(b) n a visible and	his educator is not l ovided. Aug 02, 2022	eft alone with
Comments: 25 An operator prominent place Comments: 28(3) The pres	must ensure that this information is added to the missing children until a valid first aid certificate and a valid CPR c r of a licensed facility shall post in a clearly visible and e on the premises: (b) the weekly menus. Inspector observed that the weekly menu is not posted in	file and that t certificate is pr 25(b) n a visible and	his educator is not l ovided. Aug 02, 2022 prominent place in	eft alone with
Comments: 25 An operator prominent place Comments: 28(3) The pre- standards under	must ensure that this information is added to the missing children until a valid first aid certificate and a valid CPR of r of a licensed facility shall post in a clearly visible and e on the premises: (b) the weekly menus. Inspector observed that the weekly menu is not posted in Administrator must ensure that this is posted. mises of a licensed facility shall comply with (b) codes and er the Fire Prevention Act. During the Inspection, Inspector observed that there were of the back outdoor stairs, which is an emergency fire exit	file and that the sertificate is provided by a visible and 28(3)(b) a baby gates a	his educator is not l ovided. Aug 02, 2022 prominent place in Aug 02, 2022 and parts of toys blo	the facility.
Comments: 25 An operator prominent place Comments: 28(3) The pre- standards under Comments: 29 An operator the outdoor wal	must ensure that this information is added to the missing children until a valid first aid certificate and a valid CPR of r of a licensed facility shall post in a clearly visible and e on the premises: (b) the weekly menus. Inspector observed that the weekly menu is not posted in Administrator must ensure that this is posted. mises of a licensed facility shall comply with (b) codes and er the Fire Prevention Act. During the Inspection, Inspector observed that there were	file and that the sertificate is provided by a visible and 28(3)(b) a baby gates a	his educator is not l ovided. Aug 02, 2022 prominent place in Aug 02, 2022 and parts of toys blo	the facility.
Comments: 25 An operator prominent place Comments: 28(3) The pre- standards under Comments: 29 An operator the outdoor wal and hazards.	must ensure that this information is added to the missing children until a valid first aid certificate and a valid CPR of r of a licensed facility shall post in a clearly visible and e on the premises: (b) the weekly menus. Inspector observed that the weekly menu is not posted in Administrator must ensure that this is posted. mises of a licensed facility shall comply with (b) codes and er the Fire Prevention Act. During the Inspection, Inspector observed that there were of the back outdoor stairs, which is an emergency fire exi for the emergency exit to remain clear at all times. of a licensed facility shall ensure that the traffic area and lk-ways of the licensed facility are free from obstructions	file and that the trificate is provide the series of the s	his educator is not l ovided. Aug 02, 2022 prominent place in Aug 02, 2022 and parts of toys blo or must remove the Aug 02, 2022	the facility.
Comments: 25 An operator prominent place Comments: 28(3) The pre- standards under Comments: 29 An operator	must ensure that this information is added to the missing children until a valid first aid certificate and a valid CPR of r of a licensed facility shall post in a clearly visible and e on the premises: (b) the weekly menus. Inspector observed that the weekly menu is not posted in Administrator must ensure that this is posted. mises of a licensed facility shall comply with (b) codes and er the Fire Prevention Act. During the Inspection, Inspector observed that there were of the back outdoor stairs, which is an emergency fire exi for the emergency exit to remain clear at all times. of a licensed facility shall ensure that the traffic area and lk-ways of the licensed facility are free from obstructions During the Inspection, Inspector observed that there were of the back outdoor stairs, which is a traffic area. Administ	file and that the ertificate is provide a visible and a visible and 28(3)(b) e baby gates a it. Administrate 29 e baby gates a visible and 28(3) a visible and 28(3)(b) e baby gates a visible and 29 e baby gates a visible a visible and 29 e baby gates a visible a vis	his educator is not l ovided. Aug 02, 2022 prominent place in Aug 02, 2022 and parts of toys blo or must remove the Aug 02, 2022 and parts of toys blo	eft alone with the facility. Docking the bottom se items in order
Comments: 25 An operator prominent place Comments: 28(3) The pre- standards unde Comments: 29 An operator he outdoor wal and hazards. Comments:	must ensure that this information is added to the missing children until a valid first aid certificate and a valid CPR of r of a licensed facility shall post in a clearly visible and e on the premises: (b) the weekly menus. Inspector observed that the weekly menu is not posted in Administrator must ensure that this is posted. mises of a licensed facility shall comply with (b) codes and er the Fire Prevention Act. During the Inspection, Inspector observed that there were of the back outdoor stairs, which is an emergency fire exi for the emergency exit to remain clear at all times. of a licensed facility shall ensure that the traffic area and lk-ways of the licensed facility are free from obstructions During the Inspection, Inspector observed that there were	file and that the ertificate is provide a visible and a visible and 28(3)(b) e baby gates a it. Administrate 29 e baby gates a visible and 28(3) a visible and 28(3)(b) e baby gates a visible and 29 e baby gates a visible a visible and 29 e baby gates a visible a vis	his educator is not l ovided. Aug 02, 2022 prominent place in Aug 02, 2022 and parts of toys blo or must remove the Aug 02, 2022 and parts of toys blo	eft alone with the facility. Docking the bottom se items in order

Order for Compliance		tion Date to be corrected	Date corrected
Comments: There is a platform made of stones on which th the platform, Administrator must add a railing o maintained safe and free of hazards.			
39(2) A licensed facility shall have a separate locked storage sp is inaccessible to the children for each of the following: (a) toxic chemical products and cleaning supplies;) Aug 02, 2022	Aug 02, 2022
Comments: During the Inspection, Inspector found cleaning must be placed under lock and key. This was p Deficiency is now compliant			
39(2) A licensed facility shall have a separate locked storage sp is inaccessible to the children for each of the following: (b) medic	ations.	,	Aug 02, 2022
Comments: During the inspection, Inspector found medication this under lock and key immediately. Deficiency			An educator placed
48(2) An operator of a licensed facility may supply food to a child receiving services at the licensed facility that a parent or guardia child brings from the child's home if the food is labelled with the oname and refrigerated, as required.	48(2) 48(2)	Aug 16, 2022	
Comments: Not all water bottles are labelled with the child's labelled with the respective child's name.	name. Administr	ator must ensure that e	ach water bottle is
50(2) The operator of a licensed facility shall inform the parent o guardian of a child in- volved in an incident on the day the incide place and shall ensure that the parent or guardian signs the daily confirm their awareness.	nt takes	Aug 02, 2022	
Comments: During the Inspection, Inspector observed that Administrator must ensure that parents sign th incident.			
General Comments			
During the time of the Inspection, Inspector observed indoc eating lunch as well as the rest period. Inspector observed singing songs with them.			
Administrator must add a waste basket with a lid in the dia diapers.	per changing ar	ea in order to properly	/ dispose of
Ratio was respecting the during the time of the inspection.			
original signed by Sarah MacDougall		August 02, 2022	
Signature of Early Learning and Childcare Licensing Staff	Date		_
original signed by Morgan Brine		August 02, 2022	
Signature of Operator/Designate	Date		