

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Licer		ce Number			Inspection Date		
Lincoln Day Care Centre 514011					December 09, 2020		
Facility Name					Telephone	e Number	
Lincoln Day Care Centre			(506) 458-9144				
Address							
5 Maple Leaf Dr Lincoln NB E3B 7G9							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Nancy Glendenning			Inspector				
Order for Compliance		Reg	Regulation Date corre			Date corrected	
11(c)(ii) The qualifications and training requirements for administrators and educators are as follows: (c) at a full-time or part-time early learning and childcare centre, (ii) on and after July 1, 2020, (A) at least 50% of educators must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister, and (B) an administrator must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister.		11(c		Mar 31, 2021			
Comments: There is a staff member currently taking their ECE and they will graduate in 2021.							
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.		28(3)(a)	Dec 09, 2020			
Comments: Three different bubbles were napping in t	he same room.	. This cannot occur during Covid-19.					
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.		31(3)	Dec 11, 2020			
Comments: Cylinder covering the well cap is not secure. When pushed on, it can be moved. Spikes and sand that were added to secure the cylinder is not sufficient. The large tire still has standing water that has turned into ice. Licensing staff noticed an odour from the tire during inspection. Please drain the standing water or remove the tire. During the last visit the Operator stated that the large tire would be removed.							
9(1) The child-to-staff ratio is one educator for each of the f groups of children of the same age receiving services at a part-time early learning and childcare centre: (a) three infa (b) five children or fewer who are two years of age; (c) eigl fewer who are three years of age; (d) ten children or fewer years of age or older, but who are not yet attending school; and (e) 15 school-age children or fewer. Comments:	full-time or ints or fewer; ht children or	9(1)		Dec (09, 2020		
General Comments							

A secure box has been built for the diaper genie located in the infant room and currently is being painted before being placed into the facility. Operator sent photos of the box that will cover the diaper genie.

See comments regarding outdoor place space.

Child staff ratio was physically being met within the facility however, upon entering the nap room the educator was focused on her cell phone and licensing staff startled them. There were 3 children awake at this time.

Screening must still occur during yellow phase of Covid-19. Bubbles can only change at the beginning of each week. Any groups that are bubbled together must be identified on one bubble sheet.

original signed by Nancy Glendenning Signature of Early Learning and Childcare Licensing Staff

December 09, 2020

Date

Date

original signed by jared robinson

Signature of Operator/Designate

December 09, 2020