

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Fredericton Early Learning Centre	Licence Number 524095	Inspection Date August 13, 2020
Facility Name Fredericton Early Learning Centre		Telephone Number (506) 452-8894
Address 351 Aberdeen Street Fredericton NB E3B 1R8		
Name of Early Learning and Childcare Licensing Staff Sabrina Diotte		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
28(1) An operator of a licensed facility shall not change the allocation of space used to provide services or add to or alter any building or facility or any part of them unless the Minister has approved the changes in writing. Comments:	28(1)	Aug 24, 2020	
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (b) medications. Comments:	39(2)(b)	Aug 24, 2020	

<p>General Comments</p> <p>The facility is following public health guidelines and have extra staff for cleaning.</p> <p>I observed lots of positive interaction between educators and children.</p> <p>Learning stories are visible and displayed on the walls.</p> <p>The children are spending extra time outside, despite the hot temperatures, the centre is following the temperature guidelines.</p> <p>A new outdoor play space was built using temporary fencing. This was not measured, inspected or approved by our department. This space was also not approved by Fire and Health Inspectors; therefore, the space must be removed within one week. Please use licensed play space for outdoor time.</p> <p>The temporary fencing in the licensed outdoor play space is approved temporarily due to COVID-19 guidelines considering the children can easily crawl under it in case of an emergency. However, it's recommended that alternate dividers be used to separate the space to allow easier entry/exit.</p> <p>Toxic products and medication must be locked by key.</p>

original signed by
Sabrina Diotte

August 13, 2020

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
carla Flynn

August 13, 2020

Signature of Operator/Designate

Date