

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Fredericton Early Learning Centre	Licence Number 524095	Inspection Date July 16, 2021
Facility Name Fredericton Early Learning Centre		Telephone Number (506) 452-8894
Address 351 Aberdeen Street Fredericton NB E3B 1R8		
Name of Early Learning and Childcare Licensing Staff Tanya Gaudet		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
12(2) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development is conducted on each individual before he or she becomes a staff member. Comments: Deficiency is now compliant	12(2)	Jul 02, 2021	Jul 16, 2021
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child. Comments: Deficiency is now compliant	21	Jul 09, 2021	Jul 05, 2021
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation. Comments: Deficiency is now compliant	24(1)(c)(iv)	Jul 09, 2021	Jul 05, 2021
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator. Comments: Deficiency is now compliant	24(1)(c)(vii)	Jul 02, 2021	Jul 05, 2021
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions. Comments: Deficiency is now compliant	33(2)	Jul 16, 2021	Jul 16, 2021

<p><b>General Comments</b></p> <p>The children were inside playing as it was raining very hard during the time of the follow-up inspection visit on July 16, 2021.</p>
--

General Comments

The two year old group children were playing free play with dump trucks and building blocks.

One mixed age grouping was drawing with construction paper and markers while another mixed age group of children were playing with rolls of paper! The children were giggling as they were throwing paper around the room. What a wonderful activity!

When licensing observed that all compliance orders were corrected at the time of the follow-up visit on July 16, 2021.

original signed by  
**Tanya Gaudet**

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

**July 16, 2021**

\_\_\_\_\_  
Date

original signed by  
**Carla Flynn**

\_\_\_\_\_  
Signature of Operator/Designate

**July 16, 2021**

\_\_\_\_\_  
Date