

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Nackawic Childcare Inc.	Licence Number 601014	Inspection Date October 02, 2020
Facility Name Nackawic Childcare		Telephone Number (506) 575-2950
Address 8 McLaren Crescent Nackawic NB E6G 1C7		
Name of Early Learning and Childcare Licensing Staff Joanne Voyer Page		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vi) a copy of a check with the Department of Social Development.	24(1)(c)(vi)	Oct 14, 2020	
Comments: Operator was faxing this form to SD during my visit. Please send me a copy of the completed SD check for verification. TY			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records.	24(1)(j)	Oct 05, 2020	
Comments: Please check smoke detectors monthly. The fire extinguishers must be serviced.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Oct 05, 2020	
Comments: Please refer to Covid recovery phase guidelines to ensure protocols are being followed. Please replenish your soap dispenser and repair the toilet paper dispenser. Ty			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Oct 01, 2020	
Comments: Please store toxic products under lock and key.			

<p><b>General Comments</b></p> <p>Monitoring Inspection completed.</p> <p>As per discussed, please refer to the Covid Recovery Phase Guidelines dated August 17th that outline the signage for entrance requirements so that essential visitors are screened and temperatures checked upon entry, the household member list of those living in the home with contact numbers is available, and a daily group log if you have different children attending on different days with the names of the staff and relief staff for contact tracing purposes. Whereas 2 groups play outdoors together and eat lunch together, they would be considered a bubble and ensuring the maximum group size doesnot exceed 15 children/group. Children should not be napping together if they are not from the same bubble unless they can maintain a distance of 6 feet between groups. Mid-day temperatures are being recorded. Parents have also signed the Appendix E letter</p>
---

General Comments

confirming their responsibility to screen and check children's temperatures in the AM. Please also update cleaning schedule to reflect sanitizing and disinfecting in the outdoor play area in between groups. TY. Fire drills were performed and last recorded in September. As stated above, please have fire extinguishers serviced and commence checking your smoke detectors on a monthly basis. Children were observed playing outside today and eating lunch, going down for nap. Children who do not nap were observed getting ready to go outdoors. Staff were observed engaged and talking with the children.

original signed by  
Joanne Voye Page

October 02, 2020

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature of Operator/Designate

\_\_\_\_\_  
Date