

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Nackawic Childcare Inc.	Licence Number 601014	Inspection Date May 25, 2021
Facility Name Nackawic Childcare		Telephone Number (506) 575-2950
Address 8 McLaren Crescent Nackawic NB E6G 1C7		
Name of Early Learning and Childcare Licensing Staff Joanne Voyer Page		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (g) attendance records of staff members.	24(1)(g)	May 26, 2021	
Comments: Please remind staff to be documenting their arrivals and departures.			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	May 31, 2021	
Comments: Please perform monthly fire drills with all children. The last documented fire drill performed and recorded was February. Please commence monthly and thereafter.			
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards.	29	May 31, 2021	
Comments: Please see below compliances - wheel chair accessible walkway and brush cleared from exit.			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	May 31, 2021	
Comments: The following safety concerns need addressed on or before May 31st and documented on the outdoor checklist. Please advise when the following have been addressed... Protruding screws and boards need replaced on the wheelchair accessible walkway; brush must be cleared away from the exit door from 4/5 year classroom, Pea gravel must be maintained around the climber, fencing at the back of the garage needs tightening; and the gate is unlatched and needs adjustment in the school age play area.			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	May 31, 2021	
Comments: I was unable to verify if this is being recorded monthly. I have noted some safety concerns above that need addressed			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	May 25, 2021	
Comments: I observed toxic products - javix, Lysol wipes and spray nine in the 4/5 room and downstairs in the school age bathroom. These toxic products must be stored locked at all times.			

General Comments

Monitoring inspection performed. As indicated above a few compliances to address and some are safety related.

I asked to be screened upon entry and I signed in on the visitor log sheet. I could not locate the covid log sheets for each class. One educator indicated they are stored in the office. The Administrator is not on site today and the Educator who replaces the Administrator had a full class. Please ensure log sheets are stored and available for departmental staff and/or Public Health for contact tracing purposes. You can discard April's log at the end of May, and once you complete June, you can discard May logs.

*Children were outdoors this morning and they were observed washing hands for lunch. Staff assisted when needed. All the children were given ample time to eat and enjoy lunch with their friends. Then the younger children/ babies and twos/threes went down for a nap. The four year group listened to a story before moving onto afternoon activities.

Ratios were being maintained during my visit in the AM and PM, however it was observed that 1 two year old was mixed with the 2 children under 24 months in order to maintain ratio in the two year old group. This child was signed in on the 2 year old attendance record and then signed in on the infant attendance record. As stated on your renewal inspection babies and 2 year olds are not be mixed. It can be disruptive to the child's routine being moved back and forth to maintain ratio. Please ensure preschool children are grouped together. Thank you.

original signed by
Joanne Voye Page

Signature of Early Learning and Childcare Licensing Staff

May 25, 2021

Date

original signed by
Susan Carson

Signature of Operator/Designate

May 25, 2021

Date