

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Nackawic Childcare Inc.	Licence Number 601014	Inspection Date June 10, 2022
Facility Name Nackawic Childcare		Telephone Number (506) 575-2950
Address 8 McLaren Crescent Nackawic NB E6G 1C7		
Name of Early Learning and Childcare Licensing Staff Tanya Gaudet		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jun 08, 2022	
<p>Comments: Licensing staff arrived at the licensed facility to ensure the gate located between the preschool playground and the afterschool playground was not secure as licensing staff could easily push the gate open and therefore is a safety concern.</p> <p>According to Regulation 31 (6) A full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present..</p> <p>It is a requirement for the gate to securely close in order to maintain the safety of the children and therefore needs to be repaired as soon as possible.</p>			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	May 13, 2022	May 25, 2022
Comments: Deficiency is now compliant			

<p><b>General Comments</b></p> <p>Licensing staff arrived at the licensed facility on June 10th, 2022, to conduct a follow-up inspection visit.</p> <p>Child-to-staff ratio was within regulation according to the Early Childhood Services Act.</p> <p>Some children were finishing up lunch and washing up for nap time while the older preschool children were heading outside to play on their bicycles.</p> <p>Licensing staff inspected the outdoor playground and noted that the gate, located between the preschool playground and the afterschool playground, was not secure as licensing staff could easily push the gate open. According to The Early Childhood Services Act, Regulation 31 (6), A full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at</p>
--

General Comments

least 1.22 m in height with a gate that is secured at all times when the children are present..

It is a requirement for the gate to securely close in order to maintain the safety of the children and therefore needs to be repaired as soon as possible.

original signed by  
Tanya Gaudet

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

June 10, 2022

\_\_\_\_\_  
Date

original signed by  
Susan Carson

\_\_\_\_\_  
Signature of Operator/Designate

June 10, 2022

\_\_\_\_\_  
Date