

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Licence I		Number			Inspection Date		
Nackawic Childcare Inc. 601014		601014				February 03, 2023	
Facility Name						Telephone	Number
Nackawic Childcare						(506) 575-2	2950
Address					L.		
8 McLaren Cre	escent Nackawic NB E6G 1C7						
Name of Early Learning and Childcare Licensing Staff			Position Title				
Joanne Voye Page		Quality Assurance Monitor					
Order for Compliance				Date t		Date corrected	
12(0.1)(a)(i-iii) In subsection (1), an operator of a licensed facility includes: (a) in the case of a criminal record check or a vulnerab check, as the case may be,(i) in the case of a corporation or unincorporated association, the directors, (ii) in the case of a parthe partners, and (iii) in the case of a limited partnership, the ger partners;		ole sector artnership,			Feb 1	0, 2023	
Comments: Licensing staff reviewed Operator (Board of Directors) files and was unable to verify this staff information. This was requested on or before January 1st. Please forward this information.							
·		21(b			6, 2023		
Comments:	Today's forecast is high wind chill therefore ou space, equipment and materials in the classro example - yoga session, turning on the music are lots of activities that educators could plant Please ask educators to plan these activities in ideas.	om so child and playing to help burr	dren g Fre n ene	can exper eze dance ergy when	rience e, indo childr	movement ac or obstacle c en are unable	ctivities. For course etc. There e to go outdoors.
records and doc	rposes of subsection 20(1) of the Act, the follow uments shall be maintained on the premises of (g) attendance records of staff members.		24(1)(g)	Feb 0	3, 2023	Feb 03, 2023
Comments:	Deficiency is now compliant. A kind reminder t including when they leave the facility during th		mus	st be signi	ng in o	n the attenda	ance record
records and doc licensed facility: inspection and m	rposes of subsection 20(1) of the Act, the follow uments shall be maintained on the premises of (j) smoke alarm, smoke detector and fire exting naintenance records.	ving a guisher	24(1			7, 2023	
Comments:	The fire extinquisher must be serviced as it ha		_				l.
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.		28(2	2)	Feb 1	0, 2023		
Comments: Licensing staff determined that the last recorded monthly drill was in October. Fire drills must be performed and recorded monthly. Please commence in February and monthly thereafter.							

Order for Comp	liance	Regulation	Date to be corrected	Date corrected		
29 An operator of a licensed facility shall ensure that the traffic area and the outdoor walk-ways of the licensed facility are free from obstructions and hazards.		29	Feb 06, 2023			
Comments:	Please ensure all exits are cleared of snow in the winter months. The door off the kitchen area needs to be shoveled out.					
satisfactory prod	tor of a licensed facility shall refuse admission to a child if of the immunizations required by the Public Health Act is under that Act is not provided.	47(1)	Feb 10, 2023			
Comments:	It was observed that a child was enrolled without a copy of the immunization record in the child file. The administrator has contacted the parent and requested this document during my visit today. Please provide confirmation that record is in the child file when received					

General Comments

Monitoring inspection performed.

Administrative records reviewed - child attendance is tracked, fire drill record reviewed (see general comment section) and new staff info. **The license expires the end of March and the renewal application and fee has not been received. The Administrator will forward this application once signed by the Operator on or before Feb 8th. Board of Director information was collected. See general comment section.

Due to the temperature currently at -18oC with a windchill of -30oC, licensing staff didnot observe children in outdoor play, though outdoor play has been observed in past visits. The afternoon forecast is calling for colder temperatures so children will remain indoors. As stated above, Educators must plan for active play opportunities. There are lots of activities that educators could plan in advance when this type of weather prevents children with going outside.

Children were involved with dramatic play activities - playing the part as fire fighters, making siren sounds and communicating with cell phones about putting out fires, building a castle with lego blocks, painting activity etc. Positive child guidance was observed - educators were heard saying 'you are a good builder, careful, all friends help clean up, we are all friends, thank you. Educators were heard calling the children by their names. Lots of transition time was given between activities. The babies, and younger 2/3-year-olds were observed going down for a nap after lunch and the older preschool age children played quiet type activities.

Wonderful positive changes observed in the afterschool program room. The space has been reorganized into cozy and inviting centres which provide opportunities for inclusive programming and allows for a different pace of activities.

Just a reminder, though potential illness forms are being completed when children leave the facility due to illness, please ensure staff enter the time children leave and that parents have signed the document.

original signed by		
Joanne Voye Page	February 03, 2023	
Signature of Early Learning and Childcare Licensing Staff	Date	
original signed by		
Susan Carson	February 03, 2023	
Signature of Operator/Designate	Date	