

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence I	Number			Inspection Date		
Voodstock Childcare Inc 636001				August 15, 2022			
Facility Name					Telephon	e Number	
Woodstock Child Care				(506) 328-9722			
Address							
Unit 1 145 Connell Park Road Woodstock NB E7M 1M5							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Tanya Gaudet			Quality Assurance Monitor				
Order for Compliance					to be	Date corrected	
00(4) A ( 1)		00(4)(-)		corrected		A.v. 45, 2022	
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for		32(1)(a)		Jul 19, 2022		Aug 15, 2022	
the number and ages of the children receiving services at the licensed							
facility.  Comments: Deficiency is now compliant							
39(2) A licensed facility shall have a separate locked storage space that			39(2)(a) Au		15, 2022	Aug 15, 2022	
is inaccessible to the children for each of the following: (a) toxic product							
chemical products and cleaning supplies;  Comments: Deficiency is now compliant							
Delicitory to now compliant							
General Comments							
Licensing staff arrived at the licensed facility on August 15				_	•	visit . When	
licensing staff arrived, some infants, 2 year old and three year old children were still sleeping.							
Licensing staff noted that there were ample toys for the children to play with in the infant room and outdoors on							
the playground on the day of the monitoring visit.							
Ratio was in compliance according to the Early Childhood	l Services	Act	in all roc	oms.			
					_		
Please ensure that the protective surfacing in the outdoor play area, surrounding the stationary equipment, is redistributed to ensure that the depth is sufficient according to the manufacture's manual.							
redistributed to ensure that the depth is sufficient accordi	ing to the i	IIaii	uracture	3 IIIaII	uai.		
While Licensing staff was conducting a monitoring visit, it							
cleaning supplies are stored, was not engaged. When this was engaged and the cleaning supplies were safely seculor		ught	to the a	ttentio	n of the ed	ducator, the lock	
was origaged and the oleaning supplies were salely seed	iou.						
original signed by					15 0000		
Tanya Gaudet Signature of Early Learning and Childcare Licensing Staf	f D	ate	Αι	ugust 1	15, 2022		
Signature of Larry Lourning and Ormadare Libertoning Otal	. –	alu					

original signed by	
Janet Kennedy	August 15, 2022
Signature of Operator/Designate	Date