

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Bathurst Aquatic Center	Licence Number 922033	Inspection Date June 24, 2020
Facility Name Kids Korner/Au Coin Des Petits		Telephone Number (506) 548-0440
Address 558 King Avenue Bathurst NB E2A 1P7		
Name of Early Learning and Childcare Licensing Staff Rachelle Roy Arseneau		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
22 The daily routine of a licensed facility shall include (a) outdoor play for at least one hour in each four-hour block of time when the majority of children receiving services are in attendance except in the following circumstances: (i) the wind chill is below -20 °C; (ii) the temperature is below -20 °C; or (iii) the temperature is 33 °C with humidity or above.	22(a)	Mar 03, 2020	Mar 03, 2020
Comments: Deficiency is now compliant			
31(6) The outdoor play area of a full-time or part-time early learning and childcare centre at which services are provided to infants or preschool children shall be enclosed with a fence at least 1.22 m in height with a gate that is secured at all times when the children are present.	31(6)	Mar 06, 2020	Mar 03, 2020
Comments: Deficiency is now compliant			

General Comments
The fenced in play area was shelved the same day.

original signed by  
Rachelle Roy Arseneau  
\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

June 24, 2020  
\_\_\_\_\_  
Date

original signed by  
Helen Henry  
\_\_\_\_\_  
Signature of Operator/Designate

June 24, 2020  
\_\_\_\_\_  
Date