

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Bathurst Aquatic Center	Licence Number 922033	Inspection Date December 05, 2023
Facility Name Kids Korner/Au Coin Des Petits		Telephone Number (506) 548-0492
Address 558 King Avenue Bathurst NB E2A 1P7		
Name of Early Learning and Childcare Licensing Staff Mona Martin		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records.	24(1)(j)	Dec 22, 2023	
Comments: - Emergency evacuation, fire drills, smoke alarm, smoke detector and fire extinguisher checks must be completed monthly.			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Dec 22, 2023	
Comments: - Monthly emergency evacuation and fire should be completed each month.			

General Comments
<ul style="list-style-type: none"> - Visit completed at the facility in the morning for a monitoring inspection. - Ratio was maintained during the visit. - During the visit the facility used positive child guidance. - The daily activities are purposely planned and documented and responds to the needs and interest of each child. Documentation of children's activities/interests is visible throughout the facility. - The parent board at the entrance of the facility has all required documents posted. - Administration records are maintained on site. - Monthly emergency evacuation and fire should be completed each month. - Educators use curriculum in the language in which services are provided in designated facilities. Eligible educators have completed 10 hours of professional learning in the past licensing year. The Quality Improvement Plan has been updated within the last 12 months. - Observations: Upon my arrival the children were preparing to go outside to play. Handwashing and free play were witnessed. - Discussion with the administrator concerning the inside play area. There have been changes to the environment. A new sand table has been added. Also, we discussed the insurance policy and emergency evacuation and fire drills. Presently the facility is meeting by weekly to do a book study on design for living and learning.

original signed by
Mona Martin

December 05, 2023

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Helen Henry

December 05, 2023

Signature of Operator/Designate

Date