



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | |
|---|---|--------------------------------------|
| Name of operator Bathurst Aquatic Center | Licence Number 922033 | Inspection Date December 21, 2023 |
| Facility Name Kids Korner/Au Coin Des Petits | Telephone Number (506) 252-6041 | |
| Address 558 King Avenue Bathurst NB E2A 1P7 | | |
| Name of Early Learning and Childcare Licensing Staff Mona Martin | Position Title Quality Assurance Monitor | |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|--|------------|----------------------|----------------|
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records. | 24(1)(j) | Dec 22, 2023 | Dec 19, 2023 |
| Comments: Deficiency is now compliant | | | |
| 28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly. | 28(2) | Dec 22, 2023 | Dec 19, 2023 |
| Comments: Deficiency is now compliant | | | |

| |
|---|
| General Comments |
| - The ratio was not taken because the non-compliance was corrected through email. |

| | |
|---|-------------------|
| original signed by Mona Martin | December 20, 2023 |
| Signature of Early Learning and Childcare Licensing Staff | Date |
| original signed by Helen Henry | December 20, 2023 |
| Signature of Operator/Designate | Date |