

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator YMCA OF GREATER SAINT JOHN INC.	Licence Number 2000695	Inspection Date July 27, 2020	
Facility Name YMCA OF GREATER SJ MCC CHILDCARE AND AFTER SCHOOL PROGRAM		Telephone Number (506) 632-6157	
Address 99 Daniel Avenue Saint John NB E2K 4P3			
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (ii) the staff member's qualifications including the certificates or training referred to in paragraph 11(b) or (c).	24(1)(c)(ii)	Oct 25, 2019	Oct 17, 2019
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jul 27, 2020	
Comments: Washrooms are being cleaned routinely but not necessarily between each group of children. Ensure washrooms are cleaned/disinfected between each group. Recommending a washroom schedule be implemented to support this. Discussed with supervisor.			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jul 27, 2020	
Comments: A can of paint was found within the unlocked storage closet of the preschool room-to be moved to locked storage.			

General Comments
<p>Completed monitoring inspection today. COVID-19 Recovery phase.</p> <p>Observed cleaning and sanitizing of toys today throughout the facility. Children were engaged in activities/sports/games and creative art. A healthy lunch was served during the inspection (pasta/sauce with a side of vegetables).</p> <p>There were invitations set up for the children to explore within the 2/3s room.</p> <p>Ensure that the sink within the preschool room is only used for the group of children within that space, unless there are 15 children or less within the entire room, and then this would be considered one group. When the room is split into 2 separate groups, ensure that each side has their own attendance records reflecting those within their group.</p> <p>Ensure Epipens are not locked. They should be out of the children's reach but easily accessible to educators. Epipens should also have a copy of the Allergy Management Plan kept with the Epipen as well.</p>

original signed by
Breanne Jones

Signature of Early Learning and Childcare Licensing Staff

July 27, 2020

Date

original signed by
Mika Edison

Signature of Operator/Designate

July 27, 2020

Date