

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator KINGS VALLEY EARLY EDUCATION CENTRE	Licence Number 2002893	Inspection Date January 28, 2022	
Facility Name KINGS VALLEY EARLY EDUCATION CENTRE I		Telephone Number (506) 847-5343	
Address 332 Hampton Road Quispamsis NB E2E 4S9			
Name of Early Learning and Childcare Licensing Staff Breanne Jones		Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	Dec 13, 2021	Jan 28, 2022
Comments: Deficiency is now compliant			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (c) permitting the administration of medication in the circumstances set out in section 46.	27(c)	Jan 17, 2022	Jan 28, 2022
Comments: Deficiency is now compliant			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Jan 17, 2022	Jan 28, 2022
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Dec 07, 2021	Jan 28, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Feb 04, 2022	
Comments: Some materials have been added to the dramatic play area within the 4 year old room. Today, it was noted that there was not enough play dough set out for the number of children who wished to explore this. It was noted by the inspector that there was in fact enough play dough within the room, but that it was not made available upon the children's request. Discussed flexibility, responding to the children's interests and ensuring that an adequate amount of materials/equipment are made available for the number of children in attendance with educator. Recommending that educators review pages 49-51 of the operator manual for ELC facilities with respect to daily routine. Discussed concerns and recommendations with administrator as well.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility,	32(1)(b)	Feb 04, 2022	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: Two year old room: Creative art materials continue to be stored within containers with lids on the art shelf. Play dough and accessories were not accessible during today's inspection. Discussed ensuring that materials are more accessible to the children so that they can explore as they wish. If some children are not quite prepared for open access to equipment like scissors, child safe scissors could be made readily available as the educators teach the children about scissor safety and work towards this goal. The children should have access to these materials at all times and not just when the children are completing art together as a group. (Previous comply by date of Dec.10/21)			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (c) in compliance with the Canada Consumer Product Safety Act (Canada) and the regulations under that Act.	32(1)(c)	Dec 07, 2021	Jan 28, 2022
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Feb 04, 2022	
Comments: 3s room: The doll house requires additional cleaning. If this can not be cleaned, it should be replaced. The dramatic play kitchen/fridge equipment still requires repairs on hinges/doors. Administrator reports that repairs are scheduled to be completed next week. The change table has been removed as it is no longer being used. 4s room: Dramatic play kitchen and fridge still requires repairs in this room as well. (Previous comply by date of Dec.15/21)			
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;	39(2)(a)	Jan 17, 2022	Jan 28, 2022
Comments: Deficiency is now compliant			
39(3) Despite paragraph (2)(b), medications administered in cases of anaphylactic shock shall not be stored in a locked space.	39(3)	Dec 07, 2021	Jan 28, 2022
Comments: Deficiency is now compliant			
40(1) An operator of a licensed facility shall ensure that personal belongings of a child receiving services at the licensed facility that are brought to the licensed facility, including combs, brushes, toothbrushes, towels, washcloths, bedding, pacifiers and soothers, are (c) stored separately for each child.	40(1)(c)	Dec 10, 2021	Jan 28, 2022
Comments: Deficiency is now compliant			
45(3) If a child has or may be affected by a disease that is required to be reported under the Public Health Act and the regulations under that Act by the operator of a licensed facility, the operator shall (a) complete the forms provided by the Minister.	45(3)(a)	Dec 07, 2021	Jan 28, 2022
Comments: Deficiency is now compliant			
50(2) The operator of a licensed facility shall inform the parent or guardian of a child involved in an incident on the day the incident takes place and shall ensure that the parent or guardian signs the daily log to confirm their awareness.	50(2)	Jan 17, 2022	Jan 28, 2022
Comments: Deficiency is now compliant			

General Comments
Completed follow up to renewal inspection today. Toxic products have been moved to a custodial closet with a lock. The cupboards within the room no longer contain toxic products. Epipens were not locked, and will continue to be stored inaccessible to children but unlocked for easy access

General Comments

during an emergency.

Discussed consent for medication with administrator. New forms for consent for acetaminophen will be added to registration packages.

Administrator will send photos of outstanding orders for compliance once they have been repaired/rectified.

original signed by

Breanne Jones

Signature of Early Learning and Childcare Licensing Staff

January 28, 2022

Date

original signed by

Michele Snow

Signature of Operator/Designate

January 28, 2022

Date