

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Licence Number

Inspection Date

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

621546 N.B. Ltd.	2003103		Janua	January 12, 2021	
Facility Name			Teleph	none Number	
Oromocto Day Care Centre		(506) 357-8428			
Address			<u>.</u>		
38 Iroqouis Avenue Oromocto NB E2V 2A1					
Name of Early Learning and Childcare Licensing Staff		Position Title			
Tanya Gaudet		Inspector			
Order for Compliance		9	Date to be Date corrected corrected		
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.		·(1)(b)(ii)	Jan 29, 2021		
Comments: Not all children's files have a Medical Practition	oner/doctor na	med in the (Child Profile		
24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (j) smoke alarm, smoke detector and fire exting inspection and maintenance records.	a	·(1)(j)	Jan 29, 2021		
Comments: Fire extinguishers have not been checked since	ce 2019.				
39(2) A licensed facility shall have a separate locked storage s is inaccessible to the children for each of the following: (a) toxic chemical products and cleaning supplies;		(2)(a)	Jan 12, 2021		
Comments: When licensing staff arrived in the javex and we the classroom.	vater solution	was accessi	ble to childrer	on one of the tables in	
9(1) The child-to-staff ratio is one educator for each of the follow groups of children of the same age receiving services at a full-tip part-time early learning and childcare centre: (a) three infants of (b) five children or fewer who are two years of age; (c) eight children who are three years of age; (d) ten children or fewer who years of age or older, but who are not yet attending school; and (e) 15 school-age children or fewer.	me or or fewer; ildren or are four		Jan 12, 2021		
Comments: At nap time, in the infant room, there were 4 in children while one child was sleeping in the nat regulation.		•			

General Comments

Name of operator

When licensing staff arrived at the centre an educator took licensing staff's temperature. Please ensure Covid-19 questions are asked before anyone enters the centre.

It was also noted on two sperate occasions the javex and water solution was left on a classroom table where

General Comments				
hildren could access. Please ensure that this solution is kept out of children's reach at all times.				
When reviewing the children's files it was noted that a medical poshild profiles. Please ensure these profiles are updated.	ractitioner/doctor is not named on a number the			
When reviewing the first aid checklists it was noted that not all ite kit. Please ensure that the first aid kit is equipped with the conte 2004-130 under the Occupational Health and Safety Act				
Fire Drills and evacuation drills have been conducted however, f 2019. Please ensure the fire extinguishers are inspected on a ye Early Childhood Services Act where it states that smoke alarm, nspection and maintenance records shall be maintained on the	early basis as per regulation 24 (1) (k) of the smoke detectors and fire extinguisher			
Child/staff ratio needs to be maintained in the infant room during	lunch breaks if the children are still awake.			
Tanya Gaudet conducted the renewal inspection for Nancy Glen	denning			
original signed by Tanya Gaudet Signature of Early Learning and Childcare Licensing Staff	January 12, 2021 Date			
Signature of Operator/Designate	Date			