

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator 621546 N.B. Ltd.		Inspection Date March 05, 2026
Facility Name Oromocto Day Care Centre		Licence Number 2003103
Address 855 Waasis Road Oromocto NB E2V 2N5		Telephone Number (506) 357-8428
Type of Facility Full-time Early Learning and Childcare Centre	Maximum Number of Children 52	Ages of Children INFANTS PRESCHOOL
ELCC Licensing Staff Nancy Glendenning	Position Title Inspector	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Mar 13, 2026	
Comments: There are staff that require a copy of a valid first aid. Please forward the enrollment registration for each staff that is missing one.			
12(2) An operator of a licensed facility shall ensure that a criminal record check or a vulnerable sector check, as the case may be, and a check with the Department of Social Development is conducted on each individual before he or she becomes a staff member.	12(2)	Mar 20, 2026	
Comments: Criminal record and vulnerable sector checks must be completed prior to employment. Once received, please forward the vulnerable sector check to Nancy Glendenning.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	Mar 13, 2026	
Comments: Some of the staff files are missing description of duties and responsibilities			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Mar 13, 2026	
Comments: There are staff that require a copy of a valid first aid. Please forward the enrollment registration for each staff that is missing one.			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Mar 13, 2026	
Comments: The last fire drill was conducted in January. Please ensure that fire drills are done monthly.			
33(3) An operator of a licensed facility shall complete a monthly review and maintenance plan on all stationary equipment that includes the following information: (a) the review and repair dates; (b) the action required and the action taken; and (c) the name of the staff member who conducted the review.	33(3)	Mar 13, 2026	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: The last monthly review and maintenance plan on the stationary equipment was completed in January. Please ensure that these are done monthly			

General Comments

Upon arrival at the facility there was a group of children playing outside. The outdoor play space is snow covered with patches of ice in different areas. There is a variety of materials and many of the educators stated that there has been more ordered.

It was indicated during the inspection that children in the infant age group are not always going outside. I advised one of the educators in this age group that the children should be going outside when weather permits even if they do not get outside for a full hour. Educators do not need to wait for parent(s) to arrive to go outside. Parent(s) should be made aware of the children's routine and plan for an earlier arrival as infant(s) cannot be left behind with any other age group. The infant outdoor play space should also be accessible to the infants 12 months of the year. This means that in the winter, it will require to be cleared from snow.

There is a good representation of the curriculum throughout the facility. There are many pictures on the walls including the pictures of children and their families. The materials are labelled, children's artwork is labelled with a picture of the child who did it, artwork is framed, and there is a word wall for the infants. The camping march break theme in the 3 and 4 year old class was well represented. There were tents set up, camping chairs, and the children were roasting marshmallows over a fondu pot to make smore's. The two's had a construction zone labelled and set up for the children. Learning stories with the children's experiences were also posted throughout the facility.

The facility provides afternoon snacks. They had oranges, milk, chocolate chip cookies and twisties.

Educators were observed at the level of the children talking to them and engaging with them. The educators appeared very interested in what what the children were doing and saying. There was a child in one of the rooms was crying for a long period of time. The educator picked up the child, held them, spoke softly and reassured them. The child eventually calmed down and stopped crying. The guidance on the day of my visit was gentle and kind.

Please change your Quality Assurance Monitor to Angela Tozer on your bulletin board. Her number is (506) 261-1886.

On the child profiles when a family does not have a physician; please have the parent add that they don't have a physician, or they can also use the information for nearest hospital or clinic that they use when their child is ill. This area should not stay blank.

original signed by
Nancy Glendenning

Signature of Early Learning and Childcare Licensing Staff

March 05, 2026

Date

original signed by
Operator unavailable to sign

Signature of Operator/Designated staff

March 05, 2026

Date

"I hereby acknowledge receipt of this report"